

**VERÖFFENTLICHUNGEN DES  
MAX-PLANCK-INSTITUT FÜR FESTKÖRPERFORSCHUNG  
vom 01. Januar 1998 bis 31. Dezember 1998**

*Adam, W., R.T. Fell, A. Lévai, T. Patonay, K. Peters, A. Simon and G. Tóth:* Enantioselective epoxidation of isoflavones by Jacobsen's Mn(III)salen catalysts and dimethyldioxirane oxagen-atom source. *Tetrahedron: Asymmetry* **9**, 1121-1124 (1998).

*Adam, W., M. Güthlein, E.-M. Peters, K. Peters and T. Wirth:* Chiral-auxiliary-induced diastereoselectivity in the [4 + 2] cycloadditions of optically active 2,2-dimethyloxazolidine derivatives of sorbic acid: a model study with singlet oxygen as the smallest dienophile. *Journal of the American Chemical Society* **120**, 4091-4093 (1998).

*Adam, W., T. Wirth, A. Pastor and K. Peters:* Dramatic diastereoselectivity differences in the asymmetric Ene reactions of triazolinediones and singlet oxygen with chiral 2,2-dimethyloxazolidine derivatives of tiglic acid. *European Journal of Organic Chemistry* **1998**, 501-506 (1998).

*Adams, St. and J. Maier:* Ag migration pathways in crystalline and glassy solid electrolytes  $\text{AgI}\text{-}\text{AgM}_x\text{O}_y$ . *Solid State Ionics* **105**, 67-74 (1998).

*Ahn, K., H. Mattausch and A. Simon:* Metal substitution in layered superconducting  $\text{La}_2\text{C}_2\text{Br}_2$ . *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 175-176 (1998).

*Aichmayr, G., D. Toet, M. Mulato, P.V. Santos, A. Spangenberg and R.B. Bergmann:* Growth mechanisms in laser crystallization and laser interference crystallization. *Journal of Non-Crystalline Solids* **227-230**, 921-924 (1998).

*Aichmayr, G., D. Toet, M. Mulato, P.V. Santos, A. Spangenberg, S. Christiansen, M. Albrecht and H.P. Strunk:* Lateral grain growth during the laser interference crystallization of a-Si. *Physica Status Solidi* **A166**, 659-666 (1998).

*Alavi, A., P. Hu, T. Deutsch, P.L. Silvestrelli and J. Hutter:* CO oxidation on Pt(111): an ab initio density functional theory study. *Physical Review Letters* **80**, 3650-3653 (1998).

*Albrecht, C., J.H. Smet, D. Weiss, K. von Klitzing, V. Umansky and H. Schweizer:* Novel magneto-resistance oscillations in short period lateral superlattices. *Physica* **B249-251**, 914-917 (1998).

*Alex, V. and J. Weber:* EL2 induced enhancement of the donor acceptor pair luminescence in GaAs. *Materials Science Forum* **258-263**, 1009-1014 (1997).

- Optical data storage in semi-insulating GaAs. *Applied Physics Letters* **72**, 1820-1822 (1998).

*Altbir, D., P. Vargas, J. d'Albuquerque e Castro and U. Raff:* Dipolar interaction and magnetic ordering in granular metallic materials. *Physical Review* **B57**, 13604-13609 (1998).

*Anastassakis, E. and M. Cardona:* Phonons, strains, and pressure in semiconductors. In: *High Pressure in Semiconductor Physics II. Semiconductors and Semimetals* 55, (Eds.) T. Suski, W. Paul. Academic Press, New York 1998, 117-233.

*Andersen, O.K., C. Arcangeli, R. W. Tank, T. Saha-Dasgupta, G. Krier, O. Jepsen and I. Dasgupta:* Third-generation TB-LMTO. *Materials Research Society Symposium Proceedings* **491**, 3-34 (1998).

*Antonov, V., O. Jepsen, W. Henrion, M. Rebien, P. Stauss and H. Lange:* Electronic structure and optical properties of  $\beta\text{-FeSi}_2$ . *Physical Review* **B57**, 8934-8938 (1998).

*Aryasetiawan, F. and O. Gunnarsson:* The GW method. Reports on Progress in Physics **61**, 237-312 (1998).

*Asen-Palmer, M., K. Bartkowski, E. Gmelin, M. Cardona, A. Zhemov, A. Inyushkin, A. Taldenkov, V. Ozhogin, K. Itoh and E. Haller:* Thermal conductivity of germanium crystals with different isotopic compositions. Physical Review **B56**, 9431- 9447 (1997).

*Assenmacher, W. and M. Jansen:* Optische Absorptions-Spektroskopie an ionischen Ozoniden. Zeitschrift für Anorganische Allgemeine Chemie **624**, 661-666 (1998).

*Awana, V.P.S., S.X. Dou, S.K. Malik, Rajvir Singh, A.V. Narlikar, D.A. Landinez Tellez, J.M. Ferreira, J. Albino Aguiar, S. Uma, E. Gmelin and W.B. Yelon:* Structural aspects, superconductivity and thermal properties of Pr in the  $\text{La}_{1-x}\text{Pr}_x\text{CaBaCu}_3\text{O}_{7-\delta}$  system with  $1.0 \geq x \geq 0.0$ . Journal of Magnetism and Magnetic Materials **187**, 192-200 (1998).

*Bala,J., A.M. Oles:* Dependence of photoemission spectra on the charge-transfer gap in  $\text{CuO}_2$  planes. Physical Review **B58**, 9408-9414 (1998).

*Balthes, E., C. Proust, A. Audouard, L. Brossard, D. Schweitzer, I. Heinen, H.J. Keller, W. Strunz, A.G.M. Jansen and E. Steep:* Anomalous damping effects of magneto-quantum oscillations in the extremely 2D electronic system  $\kappa$ - $(\text{BEDT-TTF})_2\text{I}_3$ . Synthetic Metals **94**, 3-9 (1998).

*Barentzen, H.:* Spin-wave theory and Marshall's theorems. Journal of Physics: Condensed Matter **10**, L699-L703 (1998).

*Barra, A.L., L.C. Brunel, D. Gatteschi, L. Pardi and R. Sessoli:* High frequency EPR spectroscopy of large metal ion clusters: from zero-field splitting to quantum tunneling of the magnetization. Accounts of Chemical Research **31**, 460-461 (1998).

*Barra, A., A. Caneschi, D. Gatteschi and R. Sessoli:* Very high field EPR study of a molecular nanomagnet. Journal of Magnetism and Magnetic Materials **177-181**, 709-710 (1997).

*Barra, A.-L., G. Chouteau, A. Stepanov and C. Delmas:* High magnetic field spin resonance in nearly stoichiometric  $\text{LiNiO}_2$ : evidences for magnetic cluster formation. Journal of Magnetism and Magnetic Materials **177-181**, 783-784 (1998).

*Bauer, E., G. Amoretti, L.C. Andreani, B. Delley, M. Ellerby, K. McEwen, R. Monnier, E. Pavarini and P. Santini:* Magnetization and susceptibility of the Kondo compounds  $\text{CeCu}_{5-x}\text{Al}_x$ ,  $x = 0, 1, 1.5, 2$ . Journal of Physics: Condensed Matter **10**, 4465-4475 (1998).

*Beck, O., T. Ruf., Y. Finkelstein, M. Cardona, T.R. Anthony, D. Belic, T. Eckert, D. Jäger, U. Kneissl, H. Maser, R. Moreh, A. Nord, H.H. Pitz and A. Wolpert:* Nondestructive determination of the  $^{13}\text{C}$  content in isotopic diamond by nuclear resonance fluorescence. Journal of Applied Physics **83**, 5484-5488 (1998).

*Becker, M. and M. Jansen:* Synthesis and characterization of  $\text{Na}_5\text{H}(\text{CN}_2)_3$ . Journal of Chemical Research **1998**, 86-87 (1998).

*Benedetti, P. and R. Zeyher:* Holstein model in infinite dimensions at half-filling. Physical Review **B58**, 14320-14334 (1998).

*Benoit, M., D. Marx and M. Parrinello:* Quantum effects on phase transitions in high-pressure ice. Computational Material Science **10**, 88-93 (1998).  
- Tunnelling and zero-point motion in high-pressure ice. Nature **392**, 258-261 (1998).

*Bergmann, R., F. Shi, H.-J. Queisser and J. Krinke:* Formation of polycrystalline silicon with log-normal grain size distribution. Applied Surface Science **123-124**, 376-380 (1997).

*Bergmann, R., J. Darrant, A. Hyde and J. Werner:* Crystalline silicon films on a novel high temperature glass for applications in microelectronics and photovoltaics. Journal of Non-Crystalline Solids **218**, 388-390 (1997).

*Bergmann, R., J. Krinke, H. Strunk and J. Werner:* Deposition and characterization of polycrystalline silicon films on glass for thin film solar cells. In: Amorphous and Microcrystalline Silicon Technology - 1997, (Eds.) S. Wagner et al. Materials Research Society Symposium Proceedings 467. Materials Research Society, Pittsburgh 1997, 325-330.

*Bergmann, R.B., F.G. Shi, H.J. Queisser and J. Krinke:* Formation of polycrystalline Si with log-normal grain size distribution. Applied Surface Science **123-124**, 376-380 (1998).

*Bernasconi, M., P.L. Silvestrelli and M. Parrinello:* Ab initio infrared absorption study of the hydrogen-bond symmetrization in ice. Physical Review Letters **81**, 1235-1238 (1998).

*Bernhard, C., R. Henn, A. Wittlin, M. Klaser, T. Wolf, G. Müller-Vogt, C. Lin and M. Cardona:* Electronic c-axis response of  $Y_{1-x}Ca_xBa_2Cu_3O_{7-\delta}$  crystals studied by far-infrared ellipsometry. Physical Review Letters **80**, 1762-1765 (1998).

*Bernhard, C., Ch. Niedermayer, T. Blasius, G.V.M. Williams, R. DeRenzi, C. Bucci and J.L. Tallon:* Muon-spin-rotation study of Zn-induced magnetic moments in cuprate high-T<sub>c</sub> superconductors. Physical Review **B58**, 8937-8940 (1998).

*Bernhard, C., J. Tallon, C. Bucci, R. DeRenzi, G. Guidi, G. Williams, C. Niedermayer, B. Nachumi, A. Keren, K. Kojima, M. Larkin, G. Luke, J. Merrin, O. Techernyshov, Y. Uemura, N. Ichikawa, M. Goto and S. Uchida:* Comment on "Muon spin relaxation studies of Zn-substitution effects in high-T<sub>c</sub> cuprate superconductors" [and reply]. Physical Review Letters **80**, 205-206 (1998).

*Berthier, C., M.-H. Julien, O. Bakharev, M. Horvatic and P. Segransan:* Cross-over temperatures and spin-gap in high T<sub>c</sub> cuprate superconductors: an NMR approach. Physica **C282-287**, 227-230, (1997).

*Bertram, D., K. von Klitzing, O. Kuhn, D.K. Maude, J.C. Portal, H.T. Grahn and K.H. Ploog:* Magneto-oscillations in the electroluminescence intensity of resonantly coupled GaAs-AlAs superlattices: The magnetoexciton resonance. Physical Review **B56**, R7084-R7087 (1997).

*Biermann, S., D. Hohl and D. Marx:* Proton quantum effects in high pressure hydrogen. Journal of Low Temperature Physics **110**, 97-102 (1998).

*Blick, R., D. Pfannkuche, R.J. Haug, K. von Klitzing and K. Eberl:* Formation of a coherent mode in a double quantum dot. Physical Review Letters **80**, 4032-4035 (1998).

*Blick, R.H., V. Gudmundsson, R.J. Haug, K. von Klitzing and K. Eberl:* Electron-spin resonance in a quantum dot. Physical Review **B57**, R12685-R12688 (1998).

*Blick, R.H., D.W. van der Weide, R.J. Haug, K. von Klitzing and K. Eberl:* Probing the coherent transport through coupled quantum dots. Superlattices and Microstructures **23**, 1265-1271 (1998).

*Blumentritt, S., M. Burghard, S. Roth and H. Nejo:* Self-assembly and scanning tunneling microscopy investigation of cyanine fibers on conducting substrates. Surface Science **397**, L280-L284 (1998).

*Boero, M., M. Parrinello and K. Terakura:* First principles molecular dynamics study of Ziegler-Natta heterogeneous catalysis. *Journal of American Chemical Society* **120**, 2746-2752 (1998).

*Boucher F. and R. Rousseau:* Bonding and electronic properties of  $\text{Cs}_3\text{Te}_{22}$ . *Inorganic Chemistry* **37**, 2351-2357 (1998).

*Bonoli, F., M. Iannuzzi, L. Miglio, V. Meregalli:* Electronic origin of the stability trend in  $\text{TiSi}_2$  phases with Al or Mo layers. *Applied Physics Letters* **73**, 1964-1966 (1998).

*Bräuninger, S., U. Schwarz, M. Hanfland, T. Zhou, R.K. Kremer and K. Syassen:* Crystal structure of  $\text{CuGeO}_3$  under pressure. *Physical Review B* **56**, R11357-R11360 (1997).

*Branz, W., I.M.L. Billas, N. Malinowski, F. Tast, M. Heinebrodt and T.P. Martin:* Cage substitution in metal-fullerene clusters. *Journal of Chemical Physics* **109**, 3425-3430 (1998).

*Bras, W., G.P. Diakun, J.F. Diaz, G. Maret, H. Kramer, J. Bordas and F.J. Medrano:* The susceptibility of pure tubulin to high magnetic fields: a magnetic birefringence and X-ray fiber diffraction study. *Biophysical Journal* **74**, 1509-1521 (1998).

*Braun, N.A., M.A. Ciufolini, K. Peters and E.-M. Peters:* Synthesis of spirolactams from tyrosine amides and related substances. *Tetrahedron Letters* **39**, 4667-4670 (1998).

*Brémond, G., A. Daami, A. Laugier, W. Seifert, M. Kittler, J. Poortmans, M. Caymax, K. Said, M. Konuma, A. Gutjahr and I. Silier:* SiGe thin-film structures for solar cells. In: *Thin-Film Structures for Photovoltaics*, (Eds.) E.D. Jones et al. Materials Research Society Symposium Proceedings 485. Materials Research Society, Warrendale 1998, 43-48.

*Brendel, R., H. Artmann, S. Oelting, W. Frey, J.H. Werner and H.J. Queisser:* Monocrystalline Si waffles for thin solar cells fabricated by the novel perforated-silicon process. *Applied Physics* **A67**, 151-154 (1998).

*Brendel, R., R. Bergmann, B. Fischer, J. Krinke, R. Plieninger, U. Rau, J. Reiss, H. Strunk, H. Wanka and J. Werner:* Transport analysis for polycrystalline silicon solar cells on glass substrates. In: *Conference Record of the Twenty Sixth IEEE Photovoltaic Specialists Conference - 1997*. IEEE, New York 1997, 635-638.

*Brendel, R., A. Gier, M. Mennig, H. Schmidt and J. Werner:* Sol-gel coatings for light trapping in crystalline thin film silicon solar cells. *Journal of Non-Crystalline Solids* **218**, 391-394 (1997).

*Brillante, A., R.G. Della Valle, C. Ullrich and K. Syassen:* Effect of pressure on lattice modes and electronic excitations of 9,10-diiodoanthracene crystals. *Journal of Chemical Physics* **107**, 4628-4634 (1997).

*Bringmann, G., M. Breuning, H. Endress, D. Vitt, K. Peters and E.-M. Peters:* Biaryl hydroxy aldehydes as intermediates in the metal-assisted atropo-enantioselective reduction of biaryl lactones: structures and aldehyde-lactol equilibria. *Tetrahedron* **54**, 10677-10690 (1998).

*Bringmann, G., T. Pabst, S. Busemann, K. Peters and E.-M. Peters:* Atropo-enantioselective synthesis of a simplified analog of mastigophorenes A and B. *Tetrahedron* **54**, 1425-1438 (1998).

*Bringmann, G., A. Wuzik, J. Kraus, K. Peters and E.-M. Peters:* Synthesis and structure of a novel twofold lactone-bridged ternaphthyl. *Tetrahedron Letters* **39**, 1545-1548 (1998).

*Brötz, J., H. Fuess, T. Haage and J. Zegenhagen:* Controlled modification of interfacial strain and twinning in  $\text{YBa}_2\text{Cu}_3\text{O}_{7-8}$  films on vicinal  $\text{SrTiO}_3$  (001). *Physical Review B* **57**, 3679-3682 (1998).

*Brunthaler, G., T. Dietl, A. Prinz, M. Sawicki, J. Jaroszynski, P. Glod, F. Schaffler, G. Bauer, D.K. Mause and J.C. Portal:* Interaction effects at the magnetic-field induced metal-insulator transition in Si/SiGe superlattices. Solid State Communication **106**, 157-161 (1998).

*Bungaro, C., C. Noguera, P. Ballone and W. Kress:* Early oxidation stages of Mg(0001): a density functional study. Physical Review Letters **79**, 4433-4436 (1997).

*Burghard, M., G. Duesberg, G. Philipp, J. Muster and S. Roth:* Controlled adsorption of carbon nanotubes on chemically modified electrode arrays. Advanced Materials **10**, 584-588 (1998).

*Burghard, M., G. Philipp, C. Müller-Schwanneke and S. Roth:* Formation of gold particles at a functional LB film/gold interface leading to Coulomb blockade phenomena. Synthetic Metals **94**, 141-144 (1997).

*Burghard, M., G. Philipp, S. Roth and K. von Klitzing:* Bridging of lateral nanoelectrodes with a metal particle chain. Applied Physics **A67**, 591-593 (1998).

*Burghard, M., G. Philipp, S. Roth, K. von Klitzing and G. Schmid:* Chemical functionalisation and arrangement of ultrasmall gold clusters in Langmuir-Blodgett films. Optical Materials **9**, 401-405 (1997).

*Burkhardt, U., M. Wied, W. Hönle, Y. Grin and H.G. von Schnering:* Crystal structure of tetrathyttterbium diarsenide oxide,  $\text{Yb}_4\text{As}_2\text{O}$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 13 (1998).

*Bussmann-Holder, A.:* Acoustic mode instabilities in ferroelectrics. Anharmonic mode-mode coupling induced by electron-phonon interactions. Ferroelectrics **206-207**, 47-53 (1998).

- Bond geometry and transition mechanism of H-bonded ferroelectrics. Physical Review Letters **80**, 2173-2176 (1998).

- Local lattice and precursor effects in  $\text{SrTiO}_3$  and  $\text{PbTiO}_3$ . AIP Conference Proceedings **436**, 81-86 (1998).

- From  $t$ - $J$  to JT: spin-charge-phonon-coupling in high temperature superconductors. Journal of Superconductivity **12**, 19-21 (1998).

*Bussmann-Holder, A. and A.R. Bishop:* Perovskite oxides: a rich and fascinating crystal class family. In: Proceedings of the Advanced Study Institute School on Pair Correlation in Many-Fermion Systems, (Ed.) X. Kresin. Plenum Press, New York 1998, 63-73.

*Bussmann-Holder, A. and K.H. Michel:* Proton tunneling and nonlinear polarizability effects in hydrogen-bonded ferroelectrics. AIP Conference Proceedings **436**, 202-205 (1998).

*Bychkov, Yu.A., T. Maniv, I.D. Vagner and P. Wyder:* Narrow-resonance states of 2D magnetic spin-exciton in periodically modulated fields. Europhysics Letters **40**, 557-562 (1997).

*Bychkov, Yu.A., T. Maniv and I.D. Vagner:* Spacial spin distribution of a skyrmion in 2D electron gas at a small g-factors. Journal of Physics: Condensed Matter **10**, 2029-2037 (1998).

*Campargue, A., L. Biennier, A. Kachanov, R. Jost, B. Bussery-Honvault, V. Veyret, S. Churassy and R. Bacis:* Rotationally resolved absorption spectrum of the  $\text{O}_2$  dinner in the visible range. Chemical Physical Letters **288**, 734-742 (1998).

*Capinski, W.S., H.J. Maris, E. Bauser, I. Silier, M. Asen-Palmer, T. Ruf, M. Cardona and E. Gmelin:* Thermal conductivity of isotopically enriched Si. Applied Physics Letters **71**, 2109-2111 (1997).

*Cardona, M.:* Phonons, electrons, and electron-phonon interaction: semiconductors and high-T<sub>c</sub> superconductors. In: Ultrafast Dynamics of Quantum Systems: Physical Processes and Spectroscopic Techniques, (Ed.) B. Di Bartolo. Plenum Press, New York 1998, 257-293.

*Cardona, M., D. Roennow and P. Santos:* Ellipsometric investigations of piezo-optical effects. Thin Solid Films **313-314**, 10-17 (1997).

*Cardoso Gil, R.H., N. Caroca-Canales, W. Hönle and H.G. von Schnerring:* Crystal structures of rubidium calcium arsenide, RbCaAs and of rubidium calcium antimonide, RbCaSb. Zeitschrift für Kristallographie - New Crystal Structures **213**, 455-456 (1998).

*Cardoso Gil, R.H., W. Carrillo-Cabrera, M. Somer, K. Peters and H.G. von Schnerring:* Crystal structure of sodium calcium phosphide (22/13/16),  $\text{Na}_{22}\text{Ca}_{13}\text{P}_{16}$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 9 (1998).

*Cardoso Gil, R.H., J. Nuss, Y. Grin, W. Hönle and H.G. von Schnerring:* Refinement of the crystal structure of tetracalcium diphosphide oxide,  $\text{Ca}_4\text{P}_2\text{O}$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 14 (1998).

*Carroll, D.L., Ph. Redlich, M. Rühle, X. Blase, J.-C. Charlier, S. Curran, S. Roth and P.M. Ajayan:* Boron-doped nanotubes. Density of states from tunneling spectroscopy. In: Molecular Nanostructures: Proceedings of the International Winterschool on Electronic Properties of Novel Materials, (Eds. ) H. Kuzmany et al. World Scientific, Singapore 1997, 477-481.

*Carmelo, J.M.P., P. Horsch, A.A. Ovchinnikov, D.K. Campbell, A.H. Castro Neto and N.M.R. Peres:* Comment on: Generalization of a Fermi liquid to a liquid with fractional exclusion statistics in arbitrary dimensions: theory of a haldane liquid. Physical Review Letters **81**, 489-492 (1998).

*Chaboussant, G., Y. Fagot-Revurat, M.-H. Julien, M.E. Hanson, C. Berthier, M. Horvatic, L.P. Levy and O. Piovesana:* Nuclear magnetic resonance study of the  $S = 1/2$  Heisenberg ladder  $\text{Cu}_2(\text{C}_5\text{H}_{12}\text{N}_2)_2\text{C}_{14}$ : Quantum phase transition and critical dynamics. Physical Review Letters **80**, 2713-2716 (1998).

*Claus, J., M. Leonhardt and J. Maier:* Oxygen exchange and diffusion kinetics in  $\text{SrTiO}_3$ . In: Ionic and Mixed Conducting Ceramics III., (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1997, 530-538.

*Coppinger, F., J. Genoe, D.K. Maude, X. Kleber, L.B. Rigal, U. Gennser, J.C. Portal, K.E. Singer, P. Rutter, T. Taskin, A.R. Peaker and A.C. Wright:* Magnetic characterization of self-organized ErAs clusters using telegraph noise spectroscopy. Physical Review **B57**, 7182-7189 (1998).

*Curnoe, S. and P.C.E. Stamp:* Quantum oscillations of electrons and of composite fermions in two dimensions: beyond the Luttinger expansion. Physical Review Letters **80**, 3312-3315 (1998).

*Curran, S., D.L. Carroll, P.M. Ajayan, P. Redlich, S. Roth, M. Rühle and W. Blau:* Picking needles from nano-haystacks. Advanced Materials **10**, 311-313 (1998).

*Curran, S., S. Roth, P. Kinlen, S. Raman, D.L. Carroll, P. Redlich, M. Rühle and P.M. Ajayan:* STM manipulation of individual carbon nanotubes. In: Molecular Nanostructures: Proceedings of the International Winterschool on Electronic Properties of Novel Materials, (Eds.) H. Kuzmany et al. World Scientific, Singapore 1998, 423-426.

*Dalal, N., A. Klymachyov and A. Bussmann-Holder:* Coexistence of order-disorder and displacive features at the phase transitions in hydrogen-bonded solids: squaric acid and its analogs. Physical Review Letters **81**, 5924-5927 (1998).

*Davydov, D.N., D. Mayou, C. Berger and A.G.M. Jansen:* Tunneling densities of states in quasicrystals and approximants. International Journal of Modern Physics **B12**, 503-516 (1998).

*Debernardi, A.:* Phonon linewidth in III-V semiconductors from density-functional perturbation theory. Physical Review **B57**, 12847-12858 (1998).

*Debernardi, A., A. Bernasconi, M. Cardona and M. Parrinello:* Infrared absorption in amorphous silicon from ab initio molecular dynamics. Applied Physics Letters **71**, 2692-2694 (1997).

*Deng, S., A. Simon and J. Köhler:* Superconductivity and chemical bonding in mercury. Angewandte Chemie, International Edition in English **37**, 640-643 (1998).

*Denk, I., J. Claus and J. Maier:* Electrochemical investigations of SrTiO<sub>3</sub> boundaries. Journal of the Electrochemical Society **144**, 3526-3536 (1997).

*Dooglav, A.V., H. Alloul, O.N. Bakharev, C. Berthier, A.V. Egorov, M. Horvatic, E.V. Krjukov, P. Mendels, Yu.A. Sakharatov and M.A. Teplov:* Cu(2) nuclear resonance evidence for a magnetic phase in aged 60-K superconductors Rba<sub>2</sub>Cu<sub>3</sub>O<sub>6+x</sub>(R = Tm, Y). Physical Review **B57**, 11792-11798 (1998).

*Dorfman, S., D. Fuks, A. Gordon, E. Kotomin and P. Wyder:* Magnetic field tuning of the smart materials domain structure. In: Proceedings of the 5<sup>th</sup> International Symposium of Smart Structures and Materials. Proceedings of the SPIE 3324. SPIE, Bellingham 1998, 276-286.

*Dudarev, S.L., G.A. Botton, S.Y. Savrasov, C.J. Humphreys and A.P. Sutton:* Electron-energy-loss spectra and the structural stability of nickel oxide: an LSDA+U study. Physical Review **B57**, 1505-1509 (1998).

*Dudarev, S.L., G.A. Botton, S.Y. Savrasov, Z. Szotek, W.M. Temmerman and A.P. Sutton:* Electronic structure and elastic properties of strongly correlated metal oxides from first principles: LSDA + U, SIC-LSDA and EELS study of UO<sub>2</sub> and NiO. Physica Status Solidi **A166**, 429-443 (1998).

*Duesberg, G.S., M. Burghard, J. Muster, G. Philipp and S. Roth:* Separation of carbon nanotubes by size exclusion chromatography. Chemical Communications, 435-436 (1998).

*Duesberg, G.S., J. Muster, V. Krstic, M. Burghard and S. Roth:* Chromatographic size separation of single-wall carbon nanotubes. Applied Physics **A67**, 117-119 (1998).

*Dyugaev, A.M., A.S. Rozhavskii, I.D. Vagner and P. Wyder:* Aharonov-Bohm effect on electrons near the surface of liquid helium. Pis'ma v Zhurnal Experimental'noi i Teoreticheskoi fiziki **67**, 410-414 (1998). - Aharonov-Bohm effect for electrons on a liquid-helium surface. JETP Letters **67**, 434-439 (1998).

*Dyugaev, A.M., I.D. Vagner and P. Wyder:* Competition of nuclear ferromagnetism and superconductivity. Pis'ma v Zhurnal Experimental'noi i Teoreticheskoi fiziki **65**, 772-775 (1997).

*Eberl, K.:* Quantum-dot lasers. Physics World **10**, 47-50 (1997).

- Si<sub>1-y</sub>C<sub>y</sub> and Si<sub>1-x-y</sub>Ge<sub>x</sub>C<sub>y</sub> alloy layers on Si substrate. Festkoerperprobleme **37**, 25-42 (1998).

*Eberl K. and K. Brunner:* MBE growth and optical properties of Si<sub>1-y</sub>C<sub>y</sub> and Si<sub>1-x-y</sub>Ge<sub>x</sub>C<sub>y</sub> alloy layers. NATO ASI Series **E 344**, 1-20 (1997).

*Eberl, K., O.G. Schmidt, S. Schieker, N.Y. Jin-Phillipp and F. Phillip:* formation and optical properties of carbon-induced Ge dots. Solid-State Electronics **42**, 1593-1597 (1998).

*Eremina, E.A., A. V. Kravchenko, P.E. Kazin, Y.D. Tretyakov and M. Jansen:* Influence of boron-containing depants on the formation of superconducting phase in the system Bi(Pb)-Sr-Ca-Cu-O. Superconductor Science and Technology **11**, 223-226 (1998).

*Ernst, G., N.B. Zhitenev, R.J. Haug and K. von Klitzing:* Probing the edge of a 2DEG by time-resolved transport measurements. Physica **E1**, 95-100 (1997).

*Eroms, J., M. Zitzlsperger, D. Weiss, J.H. Smet, C. Albrecht, R. Fleischmann, M. Behet, J. De Boeck and G. Borghs:* Magnetotransport in large diameter InAs/GaSb antidot lattices. Physica **B256-258**, 409-412 (1998).

*Estreicher, S.K. and J. Weber:* Photoluminescence centers associated with noble-gas impurities in silicon. Materials Science Forum **258-263**, 605-610 (1997).

*Farid, B.:* Static density-density correlation function for interacting ground states with ensemble v-representable number densities. Journal of Physics: Condensed Matter **10**, L1-9 (1998).  
- Rosencrantz and Guildenstern may not be dead; on the interlayer Josephson vortices in TI-2201. Journal of Physics: Condensed Matter **10**, L589-L596(1998).

*Feidenhans, R., A. Kazimirov, D.M. Smilgies, Qidu Jiang and J. Zegenhagen:* X-ray scattering investigation of a SrTiO<sub>3</sub>(103) bicrystal interface. Philosophical Magazine Letters **78**, 51-57 (1998).

*Feiertag, G., W. Ehrfeld, H. Freimuth, H. Kolle, H. Lehr, M. Schmidt, M.M. Sigalas, C.M. Soukoulis, G. Kiriakidis, T. Petersen, J. Kuhl and W. Koenig:* Fabrication of photonic crystals by deep x-ray lithography. Applied Physics Letters **71**, 1441-1443 (1997).

*Feiner, L.F., A.M. Oles and J. Zaanen:* Quantum disorder versus order-out-of-disorder in the Kugel-Khomskii model. Journal of Physics: Condensed Matter **10**, L555-L561 (1998).

*Feldmann, C., H.G. von Schnering and Yu. Grin:* Crystal structure of tetracesium hexathiodisilicate, Cs<sub>4</sub>Si<sub>2</sub>S<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 454 (1998).

*Felser, C., P. Deniard, M. Bäcker, T. Ohm, J. Rouxel and A. Simon:* Electronic instabilities in lithium intercalated ZrSe<sub>2</sub>. Journal of Materials Chemistry **8**, 1295-1301 (1998).

*Felser, C., J. Köhler, A. Simon, O. Jepsen, G. Svensson, S. Cramm and W. Eberhardt:* Metal valence states in Eu<sub>0.7</sub>NbO<sub>3</sub>, EuNbO<sub>3</sub> and Eu<sub>2</sub>Nb<sub>5</sub>O<sub>9</sub> by TB-LMTO-ASA band-structure calculations and resonant photoemission spectroscopy. Physical Review **B57**, 1510-1514 (1998).

*Fischer, M., P.H.M. van Loosdrecht, T. Lemmens, G. Güntherodt, B. Büchner, T. Lorenz, M. Breuer, J. Zeman, G. Martinez, G. Dhaleine and A. Revcolevschi:* Revival of the spin-Peierls transition in Cu<sub>1-x</sub>Zn<sub>x</sub>GeO<sub>3</sub> under pressure. Physical Review **B57**, 7749-7754 (1998).

*Fleck, M., A. Oles and L. Hedin:* Magnetism near the Van Hove singularity. Journal of Magnetism and Magnetic Materials **177-181**, 599-601 (1997).

*Fleck, M., A. Liechtenstein, A. Oles, L. Hedin and V. Anisimov:* Dynamical mean-field theory for doped antiferromagnets. Physical Review Letters **80**, 2393-2396 (1998).

*Fleck, M., A.M. Oles, L. Hedin and A.I. Liechtenstein:* Dynamical mean-field theory for magnetic states in the Hubbard model. In: Proceedings of the Ninth International Conference on Recent Progress in Many-Body Theories, (Eds) D. Neilson et al. World Scientific, Singapore 1998, 497-500.

*Fleig, J. and J. Maier:* The influence of current constriction on the impedance of polarizable electrodes. Journal of the Electrochemical Society **144**, L302-L305 (1997).

- The influence of laterally inhomogeneous contacts on the impedance of solid materials: a three-dimensional finite-element study. Journal of Electroceramics **1**, 73-89 (1997).

- The impedance of porous, polarizable electrodes on solid electrolytes: a finite element study. In: Proceedings 4<sup>th</sup> Symposium on Electrode Materials and Processes for Energy Conversion and Storage, (Eds.) J. MacBreen et al. Proceedings of the Electrochemical Society 97-13. Electrochemical Society, Pennington 1997, 168-179.
- The influence of the microstructure on the grain boundary impedance: a finite element study. In: Ionic and Mixed Conducting Ceramics III., (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1997, 166-177.
- A finite element study on the grain boundary impedance of different microstructures. Journal of the Electrochemical Society **145**, 2081-2089 (1998).

*Frank, I., J. Hutter, D. Marx and M. Parrinello:* Molecular dynamics in low-spin excited states. Journal of Chemical Physics **108**, 4060-4069 (1998).

*Frank, I., M. Parrinello and A. Klamt:* Insight into chemical reactions from first-principles simulations: the mechanism of the gas-phase reaction of OH radicals with ketones. Journal of Physical Chemistry **A102**, 3614-3617 (1998).

*Friede, B. and M. Jansen:* *In-situ* Hochdruck- und Hochtemperatur-Untersuchungen an Siliziumsuboxiden mittels energiedispersiver Röntgenbeugung. Zeitschrift für Anorganische und Allgemeine Chemie **624**, 1159-1165 (1998).

*Garcia-Cristóbal, A., A. Cantarero, C. Trallero-Giner and M. Cardona:* Resonant hyper-Raman scattering in semiconductors. Physical Review **B58**, 10443-10451 (1998).

*Gauss, N., P. Deltour, T. Busche, A.G.M. Jansen and P. Wyder:* Magnetic field induced inhomogeneous current distribution in metallically doped n-InSb. Physica **B252**, 96-105 (1998).

*Giessen, H., A. Knorr, S. Haas, S.W. Koch, S. Linden, J. Kuhl, M. Hetterich, M. Grün and C. Klingshirn:* Self-induced transmission on a free exciton resonance in a semiconductor. Physical Review Letters **81**, 4260-4263 (1998).

*Giessen, H., S. Linden, J. Kuhl, A. Knorr, S.W. Koch, F. Gindele, M. Hetterich, M. Grün, S. Petillon, C. Klingshirn and N. Peyghambarian:* Coherent high-intensity pulse propagation on a free-exciton resonance in a semiconductor. Physica Status Solidi **B206**, 27-36 (1998).

*Gladkov, P., E. Monova and J. Weber:* Photoluminescence characterization of Te-doped GaSb layers grown by liquid-phase epitaxy from Bi melts. Semiconductor Science and Technology **12**, 1409-1415 (1997).

*Gmelin, E.:* Modern solid state research and Indo-German cooperation. In: Sciences of the future: Proceedings of the Seminar for Former Fellowship Holders. DAAD, German Academic Exchange Service, New Delhi 1998, 60-81.

*Gmelin, E., R. Fischer and R. Stitzinger:* Sub-micrometer thermal physics - an overview on SThM techniques. Thermochimica Acta **310**, 1-17 (1998).

*Göbel, A., T. Ruf, M. Cardona, C. Lin, J. Wrzesinski, M. Steube, K. Reimann, J.-C. Merle and M. Joucla:* Effects of the isotopic composition on the fundamental gap of CuCl. Physical Review **B57**, 15183-15190 (1998).

*Göbel, A., D.T. Wang, M. Cardona, L. Pintschovius, W. Reichardt, J. Kulda, N.M. Pyka, K. Itoh and E.E. Haller:* Effects of isotope disorder on energies and lifetimes of phonons in germanium. Physical Review **B58**, 10510-10522 (1998).

*Goedecker, S.*: Fast radix 2, 3, 4, and 5 kernels for fast Fourier transformations on computers with overlapping multiply-add instructions. SIAM Journal on Scientific Computing **18**, 1605-1611 (1997).

- Decay properties of the finite-temperature density matrix in metals. Physical Review **B58**, 3501-3502 (1998).

*Goedecker, S. and O. Ivanov*: Linear scaling solution of the Coulomb problem using wavelets. Solid State Communications **105**, 665-669 (1998).

*Goedecker, S. and C.J. Umrigar*: Natural orbital functional for the many-electron problem. Physical Review Letters **81**, 866-869 (1998).

*Goñi, A.R. and K. Syassen*: Optical properties of semiconductors under pressure. In: High Pressure in Semiconductor Physics I., (Eds.) T. Suski, W. Paul. Semiconductors and Semimetals 54. Academic Press, San Diego 1998, 247-425.

*Gordon, A., M.A. Itskonvsky, I.D. Vagner and P. Wyder*: Order parameter for a diamagnetic phase transition. Physical Review Letters **81**, 2787-2790 (1998).

*Gossmann, U., A. Manolescu and R.R. Gerhardts*: Density modulation and electrostatic self-consistency in a two-dimensional electron gas subject to a periodic quantizing magnetic field. Physical Review **B57**, 1680-1689 (1998).

*Gravier, L., M. Potemski, P. Hawrylak and B. Etienne*: Electron-electron interactions in emission from a two-dimensional electron gas in quantizing magnetic fields. Physical Review Letters **80**, 3344-3347 (1998).

*Grin, Y., K. Peters, U. Burkhardt, K. Gotzmann and M. Ellner*: The structure of the ternary phase Co<sub>2</sub>NiAl<sub>9</sub>(Y<sub>2</sub>). Zeitschrift für Kristallographie **213**, 364-368 (1998).

*Groß, J. and R.R. Gerhardts*: Current distribution in antidot arrays near the breakdown of the quantum Hall effect. Physica **B256-258**, 60-64 (1998).

*Guillot, M., J.M. Desvignes, H. Le Gall, J. Ben Youssef and Y. Dumond*: Stoichiometry of pure and Bi-substituted Yttrium iron garnet prepared by ion beam sputtering. Journal of the Magnetic Society of Japan **22**, 113-116 (1998).

*Guillot, M. T. Schmiedel and Y. Xu*: Faraday rotation and magnetic properties of erbium gallium gallate under high magnetic field. Journal of Applied Physics **83**, 6762-6764 (1998).

*Gunnarsson, O.*: Effects of nonstoichiometry in A<sub>3-x</sub>C<sub>60</sub> (A=K, Rb). In: Proceedings of the Symposium on Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials, (Eds.) K.M. Kadish et al. Proceedings of the Electrochemical Society 97-42. Electrochemical Society, Pennington 1997, 488-494.

- Electronic correlation in doped fullerenes. Bulletin of the American Physical Society **43**, 353 (1998).

*Gunnarsson, O., S. Erwin, E. Koch and R. Martin*: Role of alkali atoms in A<sub>4</sub>C<sub>60</sub>. Physical Review **B57**, 2159-2162 (1998).

*Gunnarsson, O., E. Koch and R.M. Martin*: Superconductivity in doped C<sub>60</sub> compounds. In: Pair Correlations in Many-Fermion Systems, (Ed.) V.Z. Kresin. Plenum Press, New York 1998, 155-172.

- Mott transition and superconductivity in alkali-doped fullerenes. In: Electronic Properties of Novel Materials. XII International Winterschool, (Eds.) H. Kuzmany et al. AIP Conference Proceedings 442. American Institute of Physics, New York 1998, 287-291.

*Gunnarsson, O., E. Koch, R.M. Martin and F. Aryasetiawan:* Correlation effects in doped C<sub>60</sub> compounds. In: Molecular Nanostructures: Proceedings of the International Winterschool on Electronic Properties of Novel Materials, (Eds.) H. Kuzmany et al. World Scientific, Singapore 1998, 229-234.

*Gunnarsson, O., E. Koch, R. Martin and F. Aryasetiawan:* Metallicity, susceptibility and superconductivity in A<sub>3</sub>C<sub>60</sub> (A=K, Rb). In: Proceedings of the Symposium on Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials, (Eds.) K.M. Kadish et al. Proceedings of the Electrochemical Society 97-14. Electrochemical Society, Pennington 1997, 1040-1054.

*Gusev, G.M., Z.D. Kvon, E.B. Olshanetsky, D.K. Maude, X. Kleber and J.C. Portal:* Manifestation of charge-flux duality in a 2D electron gas near filling factor v = 1/2 . Physica **B249-251**, 27-31 (1998).

*Gusev, G.M., Z.D. Kvon, E.B. Olshanetsky, D.K. Maude and J.C. Portal:* Spin-splitting collapse in a 2D electron gas in AlGaAs/GaAs heterostructure. Physica **B249-251**, 771-774 (1998).

*Gutjahr, A., I. Silier, G. Cristiani, M. Konuma, F. Banhart, V. Schöllkopf and H. Frey:* Silicon solar cell structures grown by liquid phase epitaxy on glassy carbon. In: Proceedings of 14<sup>th</sup> European Photovoltaic Solar Energy Conference, (Eds.) H.A. Ossenbrink et al. Stephenson, Bedford 1997, 1460-1463.

*Gutjahr, A., I. Silier, N. Rollbühler, M. Konuma, F. Banhart, K. Said and J. Poortmans:* SiGe layer structures for solar cell application grown by liquid phase epitaxy. In: Conference Record of the Twenty Sixth IEEE Photovoltaic Specialists Conference - 1997. IEEE, New York 1997, 759-762.

*Gyorffy, B.L., Z. Szotek, W.M. Temmerman, O.K. Andersen and O. Jepsen:* Quasiparticle spectra of high-temperature superconductors. Physical Review **B58**, 1025-1042 (1998).

*Haage, T., J. Zegenhagen, H.-U. Habermeier and M. Cardona:* Nucleation mechanism of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> on SrTiO<sub>3</sub>(001). Physical Review Letters **80**, 4225-4228 (1998).

*Haas, S., T. Stroucken, M. Hübner, J. Kuhl, B. Grote, A. Knorr, F. Jahnke, S.W. Koch, R. Hey and K. Ploog:* Intensity dependence of superradiant emission from radiatively coupled excitons in multiple-quantum-well Bragg structures. Physical Review **B57**, 14860-14868 (1998).

*Habermeier, H.-U., T. Haage, J. Zegenhagen, R. Warthmann and Ch. Joos:* Anisotropic enhancement of flux pinning in Y-Ba-Cu-O thin films by substrate mediated defect control. Superconducting Science and Technology **11**, 929-934 (1998).

*Hadjiev, V. and M. Cardona:* Raman scattering from the superconducting phase: Electronic excitations and phonon renormalization effects. In: Book of Abstracts, 215<sup>th</sup> ACS National Meeting, I&EC-068. American Chemical Society, Washington, 1998, U674.

*Hadjiev, V.G., M. Cardona, Z.L. Du, Y.Y. Xue and C.W. Chu:* Superconductivity-induced phonon renormalization in (Cu, C)Ba<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>z</sub> superconductor. Physica Status Solidi **B205**, R1-R5 (1998).

*Hadjiev, V.G., X. Zhou, T. Strohm, M. Cardona, Q.M. Lin and C.W. Chu:* Strong superconductivity-induced phonon self-energy effects in HgBa<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>10+δ</sub>. Physical Review **B58**, 1043-1050 (1998).

*Hagenmayer, R.M., B. Friede and M. Jansen:* Structural studies on amorphous Si<sub>2</sub>O<sub>3</sub> and H<sub>2</sub>Si<sub>2</sub>O<sub>4</sub> by means of diffraction using high energy photons. Journal of Non-Crystalline Solids **226**, 225-231 (1998).

*Han, J.E., M. Jarrell and D.L. Cox:* Multi-orbital Hubbard model in infinite dimensions: quantum Monte Carlo calculation. Physica Review **B58**, R4199-R4202 (1998).

*Harris, M. and P. Ballone:* Collective excitations of simple metal clusters by the quantum Monte Carlo method. Solid State Communications **105**, 725-729 (1998).

*Hartmann, C., G. Martinez, A. Fischer, W. Braun and K. Ploog:* Intersubband relaxation rates of a two-dimensional electron gas under high magnetic fields. Physical Review Letters **80**, 810-813 (1998).

- Magnetic-field dependence of the electron-LO-phonon interaction in a 2D electron gas. Europhysics Letters **41**, 559-564 (1998).

*Hartwigsen, C., S. Goedecker and J. Hutter:* Relativistic separable dual-space Gaussian pseudopotentials from H to Rn. Physical Review **B58**, 3641-3644 (1998).

*Hawrylak, P., M. Potemski, D.J. Lockwood, H. Labbé, H. Weman, H. Kamada, J. Temmyo and T. Tamamura:* Light scattering from self-assembled quantum disks. Physica **E2**, 652-656 (1998).

*Hebling, J., J. Kuhl, R. Szipocs and J. Seres:* Strong shortening in a synchronously pumped femtosecond optical parametric oscillator. In: Ultrafast Processes in Spectroscopy: Proceedings of the X. International Symposium on Ultrafast Processes in Spectroscopy, (Eds.) R. Kaarli et al. Institute of Physics, Tartu 1998, 54-57.

*Henn, R., C. Bernhard, A. Wittlin, M. Cardona and S. Uchida:* Far infrared ellipsometry using synchrotron radiation: the out-of-plane response of  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ . Thin Solid Films **313-314**, 642-648 (1998).

*Henn, R., T. Strach, R.K. Kremer and A. Simon:* Neutron diffraction and micro-Raman scattering studies on rare-earth carbide halides. Physical Review **B58**, 14364-14371 (1998).

*Henrion, W., M. Rebien, V.N. Antonov, O. Jepsen and H. Lange:* Optical characterization of  $\text{Ru}_2\text{Si}_3$  by spectroscopic ellipsometry, UV-VIS-NIR spectroscopy and band structure calculations. Thin Solid Films **313-314**, 218-221 (1998).

*Herr, H., V. Alex and J. Weber:* Temperature dependence of the fundamental band gap in hexagonal GaN. Material Research Society Symposia Proceedings **482**, 719-724 (1998).

*Herrling, E., E. Dormann, R.W. Henn, R.K. Kremer and A. Simon:* NMR analysis of the electronic structure of superconducting yttrium carbide halides. Synthetic Metals **92**, 13-16 (1998).

*Hilpert, M., M. Hofmann, C. Ellmers, M. Oestreich, H. Schneider, F. Jahnke, S. Koch, W. Rühle, H. Wolf, D. Bernklau and H. Riechert:* Influence of carrier cooling on the emission dynamics of semiconductor microcavity lasers. Physica Status Solidi **B204**, 548-551 (1997).

*Hilpert, M., H. Klann, M. Hofmann, C. Ellmers, M. Oestreich, H. Schneider, F. Jahnke, S. Koch, W. Rühle, H. Wolf, D. Bernklau and H. Riechert:* Influence of carrier relaxation on the dynamics of stimulated emission in microcavity lasers. Applied Physics Letters **71**, 3761-3763 (1997).

*Himmel, K. und M. Jansen:* Synthese und Einkristallstrukturanalyse von Bis(benzyltrimethylammonium)-fullerid-Ammoniakat;  $(\text{BzLNMe}_3)_2\text{C}_{60} \cdot 3 \text{ NH}_3$ . Zeitschrift für Anorganische und Allgemeine Chemie **624**, 1-3 (1998).

- Synthesis and single-crystal structure analysis of  $[\text{Ba}(\text{NH}_3)_7]\text{C}_{60} \cdot \text{NH}_3$ . Inorganic Chemistry **37**, 3437-3439 (1998).

- On the geometry of the fulleride dianion  $\text{C}_{60}^{2-}$  in crystalline fullerenes - syntheses and crystal structures of  $[\text{M}(\text{NH}_3)_6]\text{C}_{60} \cdot 6 \text{ NH}_3$ . European Journal of Inorganic Chemistry **1998**, 1183-1186 (1998).

- Synthesis of  $[\text{Ni}(\text{NH}_3)_6]\text{C}_{60} \cdot 6\text{NH}_3$  via ion exchange in liquid ammonia - a new versatile access to ionic fullerenes. Chemical Communications, 1205-1206 (1998).

*Hönle, W., H. Schaal and H.G. von Schnering:* Crystal structure of tetraeuropium dibismuthide oxide,  $\text{Eu}_4\text{Bi}_2\text{O}$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 16 (1998).

*Hofmann, M., F. Jahnke, C. Ellmers, M. Oestreich, H.C. Schneider, S.W. Koch, W.W. Rühle, M. Hilpert, H. Klann, H.D. Wolf, D. Bernklau and H. Riechert:* Pump geometry for resonant and quasiresonant optical excitation of microcavity lasers. Optics Letters **23**, 849-851 (1998).

*Holzinger, M., J. Maier and W. Sitte:* Thermodynamic stability windows for potentiometric  $\text{CO}_2$ -sensors with open titania based reference electrodes. In: Ionic and Mixed Conducting Ceramics III, (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1998, 258-265.

*Horsch, P. and F. Mack:* A new view of the electronic structure of the spin-Peierls compound  $\alpha'$ - $\text{NaV}_2\text{O}_5$ . European Physical Journal **B5**, 367-370 (1998).

*Horvatic, M., C. Berthier, Y. Fagot-Revurat, N. Piegar, M. E. Hanson, G. Dhaleen and A. Revcolevschi:* NMR study of the high magnetic field incommensurate phase of the  $\text{CuGeO}_3$  spin-Peierls system. Physica **B246-247**, 22-26 (1998).

*Horvatic, M., Y. Fagot-Revurat, M.E. Hanson, C. Berthier, P. Segransan, G. Dhaleen and A. Revcolevschi:* NMR study of the  $\text{CuGeO}_3$  spin-Peierls system. Journal of Magnetism and Magnetic Materials **177-181**, 669-670 (1998).

*Huant, S., M. Fischer and B. Etienne:* Novel cyclotron-resonance-intersubband coupling in tilted lateral superlattices. Solid State Communications **104**, 183-187 (1997).

*Hübner, M., J. Kuhl, B. Grote, T. Stroucken, S. Haas, A. Knorr, S. Koch, G. Khitrova and H. Gibbs:* Superradiant coupling of excitons in (In,Ga)As multiple quantum wells. Physica Status Solidi **B206**, 333-339 (1997).

*Hübner, M., J. Kuhl, B. Grote, T. Stroucken, S. Haas, A. Knorr and S.W. Koch:* Time-dependent radiation pattern of coupled exciton-photon modes in multiple quantum well Bragg structures. In: Proceedings of the International Quantum Electronics Conference. OSA Technical Digest Series, 1998,7. Optical Society of America, Washington 1998, 209-210.

*Hübner, M., J. Kuhl, S. Haas, T. Stroucken, S.W. Koch, R. Hey and K. Ploog:* Suppression of the Bragg reflection in semiconductor multiple quantum wells by excitation induced dephasing. Solid State Communications **105**, 105-108 (1998).

*Hünig, S., R. Bau, M. Kemmer, H. Meixner, T. Metzenthin, K. Peters, K. Sinzger and J. Gulbis:* 2,5-disubstituted  $N,N'$ -dicyanoquinone diimines (DCNQIs) - syntheses and redox properties. European Journal of Organic Chemistry **1998**, 335-348 (1998).

*Hünig, S., T. Metzenthin, K. Peters, J.-U. von Schütz and H.G. von Schnering:* Multistep redox systems. Part 64. DCNQI anion-radical salts with bisammonium cations. European Journal of Organic Chemistry **1998**, 1653-1660 (1998).

*Hutter, J., G. Lippert and M. Parrinello:* Large scale condensed matter calculations with gaussian basis sets. In: Book of Abstracts, 215<sup>th</sup> ACS National Meeting, PHYS-281. American Chemical Society, Washington 1998.

*Isnard, O. and M. Guillot:* Investigation of the magnetic properties of  $\text{ErFe}_{11}\text{Ti}$  and  $\text{ErFe}_{11}\text{TiH}$  in high magnetic field. Journal of Applied Physics **83**, 6730-6732 (1998).

*Isnard, O., S. Miraglia, M. Guillot and D. Fruchart:* Hydrogen effects on the magnetic properties of  $\text{Rfe}_{11}\text{Ti}$  compounds. *Journal of Alloys and Compounds* **275-277**, 637-641 (1998).

*Jamnik, J. and J. Maier:* Chemical diffusion through grain boundaries in mixed conductors. In: *Proceedings of the Third International Symposium of Ionic and Mixed Conducting Ceramics*, (Eds.) T.A. Ramanarayanan et al. *Proceedings of the Electrochemical Society* 97-24. Electrochemical Society, Pennington 1997, 379-389.  
- Transport across and along interfaces in ceramics. *Current Opinion in Solid State & Materials Science* **2**, 600-603 (1997).  
- Chemical diffusion through grain boundaries in mixed conductors. *Journal of the Electrochemical Society* **145**, 1762-1767 (1998).  
- Transport across boundary layers in ionic crystals part II: stationary chemical diffusion. *Journal of Physics and Chemistry of Solids* **59**, 1555-1569 (1998).

*Jansen, M. and R. Müller:* Iod in einer neuartigen Bindungssituation: Kristallstruktur von  $\text{HIS}_2\text{O}_8$ . *Angewandte Chemie* **110**, 1461-1463 (1998).

*Jansen, M. and A. Tellenbach:* Synthese, Kristallstruktur und spektroskopische Charakterisierung von Tetraphosphorhexaoxiddiselenid  $\text{P}_4\text{O}_6\text{Se}_2$ . *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 1267-1271 (1998).

*Jantoljak, H., C. Thomsen, S. Curran, S. Roth, W. Maser, C. Journet and P. Bernier:* Raman spectroscopy on carbon nanotubes. In: *Molecular Nanostructures*, (Eds.) J. Fink et al. World Scientific, Singapore 1997, 459-462.

*Jepsen, O., O.K. Andersen, I. Dasgupta and S. Savrasov:* Buckling and d-wave pairing in high  $T_c$  superconductors. *Journal of Physics and Chemistry of Solids* **59**, 1718-1722 (1998).

*Jeschke, G., W. Hoffbauer and M. Jansen:* Survival of dipolar splittings between equivalent nuclei in high-speed MAS-NMR - Interpretation of the  $^{31}\text{P}$  coupling patterns for tetraphosphorus decaoxide. *Chemistry - a European Journal* **4**, 1755-1761 (1998).

*Jeschke, G. and M. Jansen:* Hochauflösende  $^{14}\text{N}$ -Festkörper-NMR-Spektroskopie. *Angewandte Chemie* **110**, 1342-1343 (1998).

*Jiang, Q.D., Z.J. Huang, A. Brazdeikis, M. Dezaneti, C.L. Chen, P. Jin, C.W. Chu and J. Zegenhagen:* Microscopic structure of  $\text{SrTiO}_3$  bicrystal boundaries studied with scanning tunneling and atomic force microscopy. *Materials Science and Engineering* **B56**, 100-105 (1998).

*Jörger, C., W. Wegscheider, W. Dietsche and K. von Klitzing:* Instability of the QHE induced by a nearby two-dimensional-electron system. *Physica* **B256-258**, 499-502 (1998).

*Jost, R.:* Magnetic field control of molecular dissociation energies. *International Journal of Quantum Chemistry* **64**, 571-580 (1997).

*Kaiser, A.B., G. Duesberg and S. Roth:* Heterogeneous model for conduction in carbon nanotubes. *Physical Review* **B57**, 1418-1421 (1998).

*Kalpen, H., W. Hönle, M. Somer, U. Schwarz, K. Peters and H.G. von Schnering:* Bismut(II)-chalkogeno-metallate(III)  $\text{Bi}_2\text{M}_4\text{X}_8$ , Verbindungen mit  $\text{Bi}_2^{4+}$ -Hanteln ( $\text{M} = \text{Al}, \text{Ga}; \text{X} = \text{S}, \text{Se}$ ). *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 1137-1147 (1998).

*Kang, H., K. Barner, I.V. Medvedeva, P. Mandal, A. Poddar and E. Gmelin:* Order parameter of the metal to insulator phase transition in the thio spinel  $\text{CuIr}_2\text{S}_4$ . *Journal of Alloys and Compounds* **267**, 1-5 (1998).

*Kang, H., P. Mandal, I.V. Medvedeva, K. Bärner, A. Poddar and E. Gmelin:* Heat diffusivity of the Mott systems BaCo<sub>0.9</sub>Ni<sub>0.1</sub>S<sub>2-y</sub> and CuIr<sub>2</sub>S<sub>4</sub>. *Physica Status Solidi* **163**, 465-473 (1997).

*Kang, H., P. Mandal, I.V. Medvedeva, J. Liebe, G.H. Rao, K. Barner, A. Poddar and E. Gmelin:* Magnetic moment, thermal and electrical transport in the inverse Mott systems BaCo<sub>0.9</sub>Ni<sub>0.1</sub>S<sub>2-y</sub> and CuIr<sub>2</sub>S<sub>4</sub>. *Journal of Applied Physics* **83**, 6977-6979 (1998).

*Katterloher, R., L. Barl, J. Beeman, E. Czech, D. Engemann, O. Frenzl, N. Haegel, E.E. Haller, Th. Henning, L. Hermans, G. Jakob, M. Konuma and G. Pilbratt:* The 4x32 FIRGA array - a pacesetter for a 52x32 element gallium arsenide focal plane array. In: International Symposium on Frared Astronomical Instrumentation, (Ed.) A.M. Fowler. Proceedings of the SPIE 3354. SPIE, Bellingham 1998, 116-125.

*Katterloher, R., D. Engemann, M. Fabbricotti, O. Frenzl, L. Hermans, D. Lemke, J. Wolf, E. Czech, E.E. Haller, N. Haegel, Th. Henning, M. Konuma and G. Pibratt:* FIRSA and FIRGA: development of photoconductor array for FIRST. In: Proceedings of the European Space Agency Symposium on the Far Infrared and Submillimeter Universe, SP-401, (Eds.) M. Rowan-Robinson et al. Institut de Radio-Astronomie Millimétrique, Grenoble 1997, 393-396.

*Kaupp, M.:* The nonoctahedral structure of d<sup>0</sup>, d<sup>1</sup> and d<sup>2</sup> hexamethyl complexes. *Chemistry - a European Journal* **4**, 1678-1686 (1998).

- The unusual fluxional structure of tetramethyloxotungsten. Quantum chemical structure predictions for the d<sup>0</sup> and d<sup>1</sup> complexes MOR<sub>4</sub> (M = W, Re; R = H, CH<sub>3</sub>). *Chemistry - a European Journal* **4**, 2059-2071 (1998).

*Kaupp, M. and O.L. Malkina:* Density functional analysis of <sup>13</sup>C and <sup>1</sup>H chemical shifts and bonding in mercurimethanes and organomercury hydrides: the role of scalar relativistic, spin-orbit, and substituent effects. *Journal of Chemical Physics* **108**, 3648-3659 (1998).

*Kaupp, M., O.L. Malkina and V.G. Malkin:* NMR of transition metal compounds. In: *Encyclopedia of Computational Chemistry*, (Ed.) P.v.R. Schleyer. Wiley Interscience, New York 1998, 1857-1866.

*Kaupp, M., O.L. Malkina, V.G. Malkin and P. Pyykko:* How do spin-orbit-induced heavy-atom effects on NMR chemical shifts function? Validation of a simple analogy to spin-spin coupling by density functional theory (DFT) calculations on some iodo compounds. *Chemistry - a European Journal* **4**, 118-126 (1998).

*Kaya, I.I., G. Nachtwei, K. von Klitzing and K. Eberl:* Dynamics of nonequilibrium electrons at the breakdown of the quantum Hall effect. *Physica* **B256-258**, 8-15 (1998).

*Kazimirov, A., J. Zegenhagen and M. Cardona:* Isotopic mass and lattice constant: X-ray standing wave measurements. *Science* **282**, 930-932 (1998).

*Kazimirov, A., G. Scherb, J. Zegenhagen, T.-L. Lee, M.J. Bedzyk, M.K. Kelly, H. Angerer and O. Ambacher:* Polarity determination of a GaN thin film on sapphire (0001) with x-ray standing waves. *Journal of Applied Physics* **84**, 1703-1705 (1998).

*Keren, A., P. Mendels, M. Horvatic, F. Ferrer, Y.J. Uemura, M. Mekata and T. Asano:* <sup>69,71</sup>Ga NMR in the kagomé lattice compound SrCr<sub>9-x</sub>Ga<sub>3+x</sub>O<sub>19</sub>. *Physical Review* **B57**, 10745-10749 (1998).

*Kirmaier, L., M. Weidenbruch, H. Marsmann, K. Peters and H.G. von Schnering:* Silylene and disilene additions to hexa-2,4-diyne: formation of a propynylsilirene and of bicyclic compounds. *Organometallics* **17**, 1237-1240 (1998).

*Kirmse, B., A. Delon and R. Jost:* NO<sub>2</sub> absorption cross section and its temperature dependence. Journal of Geophysical Research **102**, 16089-16098 (1997).

- The NO<sub>2</sub> vibronic levels near the X<sub>2</sub>A<sub>1</sub>.A<sub>2</sub>B<sub>2</sub> conical intersection observed by laser induced dispersed fluorescence. Journal of Chemical Physics **108**, 6638-6651 (1998).

*Kirpichev, V.E., I.V. Kukushkin, K. von Klitzing and K. Eberl:* Intersubband collective spin- and charge-density excitations in a system of 2D electrons in the quantum Hall effect regime. JETP Letters **67**, 210-215 (1998).

*Klein, T., A. Conde-Gallardo, J. Marcus, C. Escribe-Filippini, P. Samuely and P. Szabó:* Vortex glass transition in the (K, Ba)BiO<sub>3</sub> superconductor. Physical Review **B58**, 12411-12415 (1998).

*Klein, W., K. Armbruster and M. Jansen:* Synthesis and crystal structure determination of sodium ozonide. Chemical Communications, 707-708 (1998).

*Knauth, S., J. Lenzner, H. Hermberger, W. Grill, A. Böhm, A. Gröger, J. Hell, M. Primke and P. Wyder:* Observation of ballistic carrier propagation in Bi and W by scanning electron microscopy. Journal of Applied Physics **85**, 1-4 (1998).

*Koch, E.:* Periodic orbit theory for realistic cluster potentials. Physical Review **B58**, 2329-2339 (1998).

*Koch, E., O. Gunnarsson and R.M. Martin:* Quantum Monte-Carlo calculations for integer-doped fullerides. In: Molecular Nanostructures. Proceedings of the International Winterschool on Electronic Properties of Novel Materials, (Eds.) H. Kuzmany et al. World Scientific, Singapore 1998, 235-238.

- Dielectric screening in doped fullerides. In: Molecular Nanostructures. Proceedings of the International Winterschool on Electronic Properties of Novel Materials, (Eds.) H. Kuzmany et al. World Scientific, Singapore 1998, 292-295.

*Koch, S.W., A. Knorr, H. Giessen, S. Linden and J. Kuhl:* Ultrafast pulse propagation in semiconductors. In: Fifth International Workshop on Femtosecond Technology, FST '98. The Femtosecond Technology Research Association, Tsukuba 1998, 8-12.

*Königstein, D. and M. Jansen:* Crystal structure of strontium dihydrogenphosphate, Sr(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 696 (1998).

*Kohn, S. and M. Jansen:* Preparation of whisker penetrated ceramics by internal precipitation of hollandite within a tielite matrix. Journal of Materials Chemistry **8**, 1593-1599 (1998).

*Koop, Th., W. Schindler, A. Kazimirov, G. Scherb, J. Zegenhagen, Th. Schulz, R. Feidenhans'l and J. Kirschner:* Electrochemical cell for in situ x-ray diffraction under ultrapure conditions. Review of Scientific Instruments **69**, 1840-1843 (1998).

*Koopmans, B., P.V. Santos and M. Cardona:* Optical activity in semiconductors: stress and confinement effects. Physica Status Solidi **B205**, 419-463 (1998).

*Korus, G. and M. Jansen:* Untersuchungen an Natriumtrifluormethylsulfonat. Kristallstruktur von Natriumtrifluormethylsulfonat-Trifluormethylsulfonsäure (1/3). Zeitschrift für Naturforschung **53b**, 438-442 (1998).

*Kou, X.C., F.R. de Boer and G. Chouteau:* Magnetic anisotropy of R<sub>2</sub>Fe<sub>17</sub>N<sub>x</sub> compounds. Journal of Applied Physics **83**, 6899-6901 (1998).

*Kremer, R.K.*: Magnetism and superconductivity in some metal-rich rare earth halides. In: Proceedings of the 11<sup>th</sup> International Summer School of Condensed Matter Physics, (Eds.) K. Perzynska, L. Dobrzynski. Institute of Physics, Warsaw Branch, Bialystok 1997.

*Kreuer, K.D.*: Strategies in the development of proton conducting oxides for fuel cell applications. In: Ionic and Mixed Conducting Ceramics III, (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1998, 17-27.

*Kreuer, K.D., A. Fuchs, M. Ise, M. Spaeth and J. Maier*: Imidazole and pyrazole- based proton conducting polymers and liquids. *Electrochimica Acta* **43**, 1281-1288 (1998).

*Kreuer, K.D., W. Münch, U. Traub and J. Maier*: On proton transport in perovskite-type oxides and plastic hydroxides. *Berichte der Bunsen-Gesellschaft* **102**, 552-559 (1998).

*Kronmüller, S., W. Dietsche, K. von Klitzing, W. Wegscheider and M. Bichler*: New resistance maxima of the 2DEG at fractional filling factors. *Physica* **B256-258**, 82-85 (1998).

*Krstic, V., G.S. Duesberg, J. Muster, M. Burghard and S. Roth*: Langmuir-Blodgett-films of matrix-diluted single-walled carbon nanotubes. *Chemistry of Materials* **10**, 2338-2340 (1998).

*Kuhl, J., M. Hübner, D. Ammerlahn, B. Grote, T. Stroucken, S. Haas, A. Knorr, S.W. Koch, G. Khitrova, H. Gibbs, R. Hey and K. Ploog*: Coherent dynamics of coupled exciton-photon modes in multiple quantum wells and microcavities. In: Technical Digest. Proceedings of International Quantum Electronics Conference. OSA Technical Digest Series. Optical Society of America, Washington 1998, 208-209.

*Kuhl, J., M. Hübner, D. Ammerlahn, T. Stroucken, B. Grote, S. Haas, S.W. Koch, G. Khitrova, H. Gibbs, R. Hey and K. Ploog*: Coherent dynamics of excitons in radiatively coupled multiple quantum well structures and microcavities. In: Nonlinear Optics'98, Materials, Fundamentals and Applications Topical Meeting. IEEE, Piscataway 1998, 450-451.

*Kukushkin, I.V., K. von Klitzing and K. Eberl*: Spin polarization of two- dimensional electron system in different Laughlin states and around filling factor  $\mu = 1$ . *Physica* **E1**, 21-27 (1997).

*Kukushkin, I.V., D. Weiss, G. Lütjering, R. Bergmann, H. Schweizer, K. von Klitzing, K. Eberl, P. Rotter, M. Suhre and U. Rössler*: Manifestation of commensurate orbits in the magnetoluminescence spectrum of electrons in antidot arrays. *Physica* **B249-251**, 317-320 (1998).

*Kulic, M.L., A.I. Buzdin and L.N. Bulaevskii*: Theory of interplay of nuclear magnetism and superconductivity in  $\text{AuIn}_2$ . *Physical Review* **B56**, R11415-R11418 (1997).

- Magnetism and superconductivity in (RE) $\text{Ni}_2\text{B}_2\text{C}$ : The case of  $\text{TmNi}_2\text{B}_2\text{C}$ . *Physics Letters* **A235**, 285-290 (1997).

*Kulic, M. and V. Oudovenko*: Why is d-wave pairing in HTS robust in the presence of impurities? *Solid State Communications* **104**, 375-379 (1997).

*Kwok, S.H., P.Y. Yu, J. Zeman, S. Jullian and G. Martinez*: Optical studies of GaInP(ordered)/GaAs and GaInP(ordered)/GaP/GaAs heterostructures. *Journal of Applied Physics* **84**, 2846-2854 (1998).

*Lacoste, D., B.A. van Tiggelen, G.L.J.A. Rikken and A. Sparenberg*: Optics of a Faraday-active Mie sphere. *Journal of the Optical Society of America* **A15**, 1636-1642 (1998).

*Langan, R.M., S.N. Goordeev, M. Oussena, S. Pinfole, P.A.J. de Groot, L. Jansen, R. Gagnon and L. Taillefer:* Field induced suppression of the vortex lattice melting transition in twinned  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ . *Physica C* **282-287**, 2017-2018 (1997).

*Lawrie, D.D., J.P. Franck and C.T. Lin:* Search for an isotope effect in the antiferromagnetic transions of cupric oxide  $\text{CuO}$ . *Physica C* **297**, 59-63 (1998).

*Leadley, D.R., R.J. Nicholas, D.K. Maude, A.N. Utjuzh, J.C. Portal, J.J. Harris and C.T. Foxon:* Measurement of composite skyrmions at filling factor 1/3. *Physica B* **249-251**, 23-26 (1998).

- Searches for skyrmions in the limit of zero g-factor. *Semiconductor Science and Technology* **13**, 671-679 (1998).

*Lebedev, O.I., G. vanTendeloo, S. Amelinckx, B. Leibold and H.-U. Habermeier:* Structure and microstructure of  $\text{La}_{1-x}\text{CaMnO}_{3-\delta}$  thin films prepared by pulsed laser deposition. *Physical Review B* **58**, 8065-8074 (1998).

*Lee, L.S. and J. Maier:* Transport and phase transition characteristics in  $\text{AgI:Al}_2\text{O}_3$  composite electrolytes. In: Ionic and Mixed Conducting Ceramics III, (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1997, 751-763.

*Leitch, A.W.R., V. Alex and J. Weber:* Formation and structure of hydrogen molecules in crystalline Si. *Materials Science Forum* **258-263**, 241-246 (1997).

-  $\text{H}_2$  molecules in c-Si after hydrogen plasma treatment. *Solid State Communications* **105**, 215-19 (1998).

- Raman spectroscopy of hydrogen molecules in crystalline silicon. *Physical Review Letters* **81**, 421-424 (1998).

*Liebe, J., H. Kang, L. Haupt, P. Mandal, I.V. Medvedeva, G.H. Rao, K. Bärner, A. Poddar, P. Murugaraj, R. Fischer, E. Gmelin, E. Gommert, R. v. Helmolt and J. Wecker:* Heat diffusivity of  $\text{Nd}_{1-x}\text{Sr}_x\text{MnO}_{3-\delta}$  and  $\text{La}_{1-x}\text{Ca}_x\text{MnO}_{3-\delta}$  compounds. *Journal of Applied Physics* **83**, 1-5 (1998).

*Liebe, J., E. Kraus, L. Haupt, K. Barner, P. Mandal, I.V. Medvedeva, E. Gmelin and R. v. Helmolt:* Thermal properties of some  $\text{Re}_{1-x}\text{EA}_x\text{MnO}_3$  compounds. *Journal de Physique IV* **7**, 635-636 (1997).

*Liévin, J., A. Delon and R. Jost:* Absorption cross-section of  $\text{NO}_2$  by the reflection method from ab initio calculations involving the three low lying electronic states. *Journal of Chemical Physics* **108**, 8931-8943 (1998).

*Lin, C.T., A.M. Niraimathi, Y. Yan, K. Peters, H. Bender, E. Schönherr and E. Gmelin:* Single crystals of  $\text{Nd}_{1+x}\text{Ba}_{2-x}\text{Cu}_{3-y}\text{Ga}_y\text{O}_{7-\delta}$  and their characterization. [Erratum to document cited in CA126:138335]. *Physica C* **279**, 282 (1997).

*Lin, C.T., T.L. Tallon and G.J. Gainsford:*  $\text{YBa}(\text{Cu}_{1.10}\text{Co}_{0.90})\text{O}_5$ . Prepared from  $\text{YBa}_2\text{Cu}_3\text{O}_7$ . *Acta Crystallographica C* **53**, 1729-1730 (1997).

*Lin, C.T., Y. Yan, K. Peters, E. Schönherr and M. Cardona:* Flux growth of  $\text{Hg}_{1-x}\text{Re}_x\text{Ba}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_{2n+2+\delta}$  single crystals by self-atmosphere. *Physica C* **300**, 141-150 (1998).

*Linden, S., H. Giessen and J. Kuhl:* XFROG-a new method for amplitude and phase characterization of ultraweak ultrashort pulses. *Physica Status Solidi B* **206**, 119-124 (1997).

*Liu, Z.H., G. Nachtwei, J. Groß, R.R. Gerhardts, J. Weis, K. von Klitzing and K. Eberl:* Limitation of tunneling between edge states by a mesoscopic island in narrow quantum Hall conductors. *Physica B* **256-258**, 514-518 (1998).

*Liu, Z.H., G. Nachtwei, J. Weis, K. von Klitzing and K. Eberl:* Evidence for Coulomb staircase in tunneling through an antidot island in the quantum Hall regime. *Physica* **E1**, 238-240 (1997).  
- QHE breakdown induced by a single antidot: Coulomb staircase in the breakdown current. *Physica* **B249-251**, 89-92 (1998).

*Liu, Z.X., K.P. Korona, K. Syassen, J. Kuhl, K. Pakula, J.M. Baranowski, I. Grzegory and S. Porowski:* Effect of pressure on exciton energies of homoepitaxial GaN. *Solid State Communication* **108**, 433-438 (1998).

*Liu, Z.X., S. Pau, K. Syassen, J. Kuhl, W. Kim, H. Morkoc, M.A. Khan and C.J. Sun:* Photoluminescence and reflectance studies of exciton transitions in wurtzite GaN under pressure. *Physical Review* **B58**, 6696-6699 (1998).

*Lulei, M.:* Crystal structure of octalanthanum tridecabromide trinitride oxide and  $\text{La}_8\text{Br}_{13}\text{N}_3\text{O}$ . *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 245 (1998).  
-  $\text{Ba}_{11}\text{K}_{X_7}\text{O}_2$  ( $X=\text{P}, \text{As}$ ): two novel Zintl phases with infinite chains of oxygen centered  $\text{Ba}_6$  octahedra, isolated  $\text{X}^{3-}$  and dimeric  $\text{X}^{24-}$  anions. *Zeitschrift für Anorganische und Allgemeine Chemie* **623**, 1796-802 (1997).  
- Synthesis and Structure of  $\text{CsNaLa}_6\text{Br}_{14}\text{N}_2$  and  $\text{La}_3\text{Br}_6\text{N}$ : Rare-Earth-Metal Nitride Halides with Isolated Bitetrahedral  $\text{La}_6\text{N}_2$  Units. *Inorganic Chemistry* **37**, 777-781 (1998).

*Lulei, M., W. Carrillo-Cabrera and H.G. von Schnering:* Crystal structure of pentapotassium barium tetraphosphidotantalate,  $\text{K}_5\text{Ba}[\text{TaP}_4]$ . *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 457 (1998).

*Lutar, K., H. Bormann and B. Zemva:*  $\text{XeF}_2$   $2\text{CrF}_4$  and  $\text{XeF}_5^+\text{CrF}_5^-$ : Syntheses, crystal structures and some properties. *Inorganic Chemistry* **37**, 3002-3006 (1998).

*Lyutovich, K., F. Ernst, F. Banhart, I. Silier, A. Gutjahr and M. Konuma:* Defect distribution in compositionally graded epitaxial SiGe layers on Si substrates. In: *Microscopy of Semiconducting Materials 1997: Proceedings of the Royal Microscopical Society Conference*, (Eds.) Cullis, A.G., J. L. Hutchison. IOP, Bristol 1998, 131-134.

*Maier, J.:* On the correlation of macroscopic and microscopic rate constants in solid state chemistry. *Solid State Ionics* **112**, 197-228 (1998).  
- Function through defects: thermodynamics and kinetics of point defects in ionic solids. *The Korean Journal of Ceramics* **4**, 61-67 (1998).

*Maier, J. and J. Jamnik:* Electrochemical processes in ceramics - overview and correlation with microwave effects. In: *Microwaves: Theory and Application in Materials Processing IV*, (Eds.) D.E. Clark et al. Ceramic Transactions 80. American Ceramic Society, Ohio 1997, 123-133.

*Maksimov, E.G., D.Y. Savrasov, O.V. Dolgov and S.Y. Savrasov:* Energy dependence of quasiparticle and transport relaxation rates in metals. *Solid State Communications* **106**, 409-413 (1998).

*Malchus, M. and M. Jansen:* Studies on tetramethylammonium selenate (VI) and chromate (VI). *Zeitschrift für Naturforschung* **53b**, 704-710 (1998).  
- Structural investigations of the phase transitions of tetramethylammonium sulfate. *Acta Crystallographica* **B54**, 494-502 (1998).

*Maleyev, S.V., V.P. Plakhty, O.P. Smirnov, J. Wosnitza, D. Visser, R.K. Kremer and J. Kulda:* The first observation of dynamical chirality by polarized neutron scattering in the triangular lattice antiferromagnet  $\text{CsMnBr}_3$ . *Journal of Physics: Condensed Matter* **10**, 951-955 (1998).

*Mandal, P., K. Bäner, L. Haupt, A. Poddar, R. von Helmolt, A.G.M. Jansen and P. Wyder:* High-field magnetotransport properties of  $\text{La}_{2/3}\text{Sr}_{1/3}\text{MnO}_3$  and  $\text{Nd}_{2/3}\text{Sr}_{1/3}\text{MnO}_3$  systems. Physical Review **B57**, 10256-10259 (1998).

*Mandal, P., A. Poddar, A. Jansen, K. Bäner, L. Haupt and R. von Helmolt:* Anomalies of Hall effect and magnetoresistance in oxygen deficient  $\text{La}_{2/3}\text{A}_{1/3}\text{MnO}_{3-\delta}$  epitaxial layers. Physica Status Solidi **A165**, 219-230 (1998).

*Manghi, F., V. Bellini, M. Rontani and C. Arcangeli:* On-site correlation in narrow band materials. In: Tight-binding Approach to Computational Materials Science, (Eds.) L. Colombo et al. Materials Research Society Symposium Proceedings 491. Materials Research Society, Pittsburgh 1998, 179-184.

*Manolescu, A., S.D.M. Zworschke, M. Nita, U.J. Gossman and R.R. Gerhardts:* Quantum analog of channeled electron trajectories in periodic magnetic and electric fields. Physica **B256-258**, 375-379 (1998).

*Martin, M.D., E. Perez, L. Vina, L. Gravier, M. Potemski, K. Ploog and A. Fisher:* Many-body effects on the spin relaxation of electrons in GaAs quantum wells. Physica **E2**, 186-190 (1998).

*Martin, T.P., I.M.L. Billas, W. Branz, M. Heinebrodt, F. Tast and N. Malinowski:* Fission and dipole resonances in metal clusters. AIP Conference Proceedings 416, 109-122 (1998).

*Martin, T.P., F. Tast, N. Malinowski, I.M.L. Billas, W. Branz and M. Heinebrodt:* Clusters of fullerene molecules and metal atoms. Bulletin of Cluster Science Technology **1**, 29-40 (1998).

*Marx, D.:* Proton transfer in ice. In: Classical and Quantum Dynamics in Condensed Phase Simulations, (Eds.) B.J. Berne et al. World Scientific, Singapore 1998, 359-383.

*Marx D. and A. Savin:* Topological bifurcation analysis: electronic structure of  $\text{CH}^{5+}$ . Angewandte Chemie, International Edition English **36**, 2077-2080 (1997).

*Mattausch H. and A. Simon:*  $\text{Si}_{6^-}$ ,  $\text{Si}_{14^-}$ , and  $\text{Si}_{22}$  rings in iodide silicides of rare earth metals. Angewandte Chemie **37**, 499-502 (1998).

*Mattausch, H., A. Simon and C. Felser:* Planar B4 rhomboids: The rare earth boride halides  $\text{RE}_4\text{X}_5\text{B}_4$ . Journal of Physical Chemistry **B101**, 9951-9957 (1997).

*Maude, D.K., S. Marty, L.B. Rigal, M. Potemski, J.C. Portal, Z. Wasilewski, M. Henini, L. Eaves, G. Hill and M.A. Pate:* Skyrmion excitations in the limit of vanishing Landé g-factor. Physica **B249-251**, 1-6 (1998).

*Maude, D.K., and J.C. Portal:* Parallel transport in low-dimensional semiconductor structures. Semiconductors and Semimetals **55**, 1-43 (1998).

*McCluskey, M.D., E.E. Haller, J. Walker, N.M. Johnson, J. Vetterhöffer, J. Weber, T.B. Joyce and R.C. Newman:* Local vibrational modes in GaAs under hydrostatic pressure. Physical Review **B56**, 6404-6407 (1997).

*Menne, R. and R. Gerhardts:* Magnetoresistance of a two-dimensional electron gas with spatially periodic lateral modulations: exact consequences of Boltzmann's equation. Physical Review **B57**, 1707-1722 (1998).

*Meregalli, V. and S. Savrasov:* Electron-phonon coupling and properties of doped  $\text{BaBiO}_3$ . Physical Review **B57**, 14453-14469 (1998).

*Meza-Montes, L., S.E. Ulloa and D. Pfannkuche:* Electronic interactions, classical integrability and level statistics in quantum dots. *Physica* **E1**, 274-280 (1997).

*Miglio, L. and V. Meregalli:* Theory of FeSi<sub>2</sub> direct gap semiconductor on Si(100). *Journal of Vacuum Science and Technology* **B16**, 1604-1609 (1998).

*Mohan, Ch.V., M. Seeger, H. Kronmüller, P. Murugaraj and J. Maier:* Critical behavior near the ferromagnetic-paramagnetic phase transition in La<sub>0.8</sub>Sr<sub>0.2</sub>MnO<sub>3</sub>. *Journal of Magnetism & Magnetic Materials* **183**, 348-355 (1998).

*Moll, H.P., C. Kutter and P. Wyder:* Elektronspinecho-Spektroskopie bei 604 GHz und ultrahohen Magnetfeldern. *Physikalische Blätter* **54**, 827-829 (1998).

*Molteni, C. and M. Parrinello:* Glucose in aqueous solution by first principles molecular dynamics. *Journal of the American Chemical Society* **120**, 2168-2171 (1998).

*Müller, T.F.A., V. Anisimov, T.M. Rice, I. Dasgupta and T. Saha-Dasgupta:* Electronic structure of ladder cuprates. *Physical Review* **B57**, R12655-12658 (1998).

*Mujica, C., J. Llanos, K. Peters, E.-M. Peters and H.G. von Schnering:* Crystal structure of hexaeuropium dodecacopper tridecairon heptacosulfide, Eu<sub>6</sub>Cu<sub>12</sub>Fe<sub>13</sub>S<sub>27</sub>. *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 458 (1998).

*Mujica, C., K. Peters, E.-M. Peters and H.G. von Schnering:* Crystal structure of tetraaquabis(perrhenato)-cobalt(II), Co(ReO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>. *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 10 (1998).

- Crystal structure of tetraaquabis(perrhenato)iron(II), Fe(ReO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>. *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 11 (1998).

- Crystal structure of diaquabis(perrhenato)-manganese(II), Mn(ReO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>. *Zeitschrift für Kristallographie - New Crystal Structures* **213**, 229 (1998).

*Mulato, M., D. Toet, G. Aichmayr, P. Santos and I. Chambouleyron:* Short-pulse laser-induced crystallization of intrinsic and hydrogenated amorphous germanium thin films. *Journal of Applied Physics* **82**, 5159-5166 (1997).

*Mulato, M., D. Toet, G. Aichmayr, A. Spangenberg, P.V. Santos and I. Chambouleyron:* Short-pulse laser crystallization and structuring of a-Ge. *Journal of Non-Crystalline Solids* **227-230**, 930-933 (1998).

*Murzin, S.S., I. Claus and A.G.M. Jansen:* Quantized Hall effect in disordered GaAs layers with 3D spectrum in tilted magnetic fields. *JETP Letters* **68**, 327-331 (1998).

*Murzin, S., A. Jansen and P. v.d. Linden:* Quantization of the Hall conductance in a three-dimensional layer. *Physical Review Letters* **80**, 2681-2684 (1998).

*Muster, J., G. Duesberg, M. Burghard, S. Roth, E. Hernandez and A. Rubio:* SFM characterization of individual carbon nanotubes on electrode arrays. *Journal of Vacuum Science and Technology* **B16**, 2795-2801 (1998).

*Nachtwei, G., Z. Liu, G. Lütjering, R. Gerhardts, D. Weiss, K. von Klitzing and K. Eberl:* Critical currents in quantum Hall conductors with antidot arrays. *Physical Review* **B57**, 9937-9944 (1998).

*Nachtwei, G., A. Weber, H. Kunzel, J. Böttcher and O. Jaschinski:* Fermi surfaces of InGaAs/InAlAs superlattices with thin delta-doped barriers. *Journal of Applied Physics* **84**, 323-328 (1998).

*Naidyuk, Yu.G. and K. Yanson:* Point-contact spectroscopy of heavy-fermion systems. Journal of Physics: Condensed Matter **10**, 8905-8938 (1998).

*Nguyen-Manh, D., D.G. Pettifor, H.M. Sithole, P.E. Ngoepe, C. Arcangeli, R. Tank and O. Jepsen:* Electronic structure, pressure dependence and optical properties of FeS<sub>2</sub>. In: Tight-binding Approach to Computational Materials Science, (Eds.) L. Colombo et al. Materials Research Society, Pittsburgh 1998, 401-406.

*Nguyen-Manh, D., E.Yu. Tsymbal, D.G. Pettifor, C. Arcangeli, R. Tank, O.K. Andersen and A. Pasturel:* Spin-polarized density of states and electron tunnelling from the Co/Al<sub>2</sub>O<sub>3</sub> interface. In: Microscopic Simulation of Interfacial Phenomena in Solids and Liquids, (Eds.) S.R. Phillpot et al. Materials Research Society, Pittsburgh 1998, 319-324.

*Niedermayer, Ch., C. Bernhard, T. Blasius, A. Golnik, A. Moodenbaugh and J.I. Budnick:* Common phase diagram for antiferromagnetism in La<sub>2-x</sub>Sr<sub>x</sub>CuO<sub>4</sub> and Y<sub>1-x</sub>Ca<sub>x</sub>Ba<sub>2</sub>Cu<sub>3</sub>O<sub>6</sub> as seen by muon spin rotation. Physical Review Letters **80**, 3843-3846 (1998).

*Nogaret, A., L. Eaves, P.C. Main, M. Henini, D.K. Maude, J.C. Portal and E. Molinari:* Magneto-acoustic phonon antiresonances in Wannier-Stark superlattices. Solid-State Electronics **42**, 1489-1492 (1998).

*Notomi, M., J. Hammersberg, J. Zeman, H. Weman, M. Potemski, H. Sugiura and T. Tamamura:* Polarization and broken symmetry to anisotropic „triaxial“ strain states in lattice-mismatched quantum wires. Physical Review Letters **80**, 3125-3128 (1998).

- Polarization anisotropy and Zeeman splitting in strained quantum wires: dimensional crossover effect on strain. Physica **B249-251**, 171-174 (1998).

*Nuss, J., W. Höhle and H. von Schnering:* New tetrapnictidotitanates(IV): Na<sub>3</sub>M<sub>3</sub>[TiX<sub>4</sub>] with M=Na/Sr, Na/Eu and X=P, As. Zeitschrift für Anorganische und Allgemeine Chemie **623**, 1763-1768 (1997).

*Nuss, J. and K. Peters:* Crystal structure of tungsten pentabromide, WBr<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 471 (1998).

*Nygard, J., A. Delon and R. Jost:* Level dynamics under magnetic field: a tool for statistical studies of rovibronic interactions in the NO<sub>2</sub> molecule. ACH Models in Chemistry **134**, 541-571 (1997).

*Oeckler, O., Hj. Mattausch and A. Simon:* Y<sub>16</sub>I<sub>19</sub>C<sub>8</sub>B<sub>4</sub> - ein Yttriumboridcarbidhalogenid mit B<sub>2</sub>C<sub>4</sub>-Einheiten. Zeitschrift für Anorganische und Allgemeine Chemie **624**, 1834-1838 (1998).

*Oestreich, M., D. Hägele, H.C. Schneider, A. Knorr, A. Hansch, S. Hallstein, K.H. Schmidt, K. Köhler, S.W. Koch, W.W. Rühle:* Direct observation of the rotational direction of electron spin precession in semiconductors. Solid State Communications **108**, 707-712 (1998).

*Oh, J.H. and R.R. Gerhardts:* Effects of current and gate voltage on compressible and incompressible strips in a Hall bar. Physica **E1**, 108-110 (1997).

*Oral, A., J.C. Barnard, S.J. Bending, I.I. Kaya, S. Ooi, T. Tamegai and M. Henini:* Direct observation of melting of the Vortex solid in Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8-δ</sub> single crystals. Physical Review Letters **80**, 3610-3613 (1998).

*Ostorero, J. and M. Guillot:* Magneto-optical properties of Sc-substituted erbium-iron-garnet single crystals. Journal of Applied Physics **83**, 6756-6758 (1998).

*Ouisse, T., D.K. Maude, S. Horiguchi, Y. Ono, Y. Takahashi, K. Murase and S. Cristoloveanu:* Subband structure and anomalous valley splitting in ultra-thin silicon-on-insulator MOSFET's. Physica **B249-251**, 731-734 (1998).

*Pasternak, M.P., G.Kh. Rozenberg, A.P. Milner, M. Amanowicz, T. Zhou, U. Schwarz, K. Syassen, R. Dean Taylor, M. Hanfland and K. Brister:* Pressure-induced concurrent transformation to an amorphous and crystalline phase in Berlinite-type FePO<sub>4</sub>. Physical Review Letters **79**, 4409-4412 (1997).

*Pau, S., J. Kuhl, F. Scholz, V. Haerle, M.A. Khan and C.J. Sun:* Femtosecond degenerate four-wave mixing of GaN on sapphire: Measurement of intrinsic exciton dephasing time. Physical Review **B56**, R12718-R12721 (1997).

- Measurement of phonon-exciton dephasing rate in GaN on sapphire by degenerate four-wave mixing. Applied Physics Letters **72**, 557-559 (1998).

*Pau, S., Z. Liu, J. Kuhl, J. Ringling, H. Grahn, M. Khan, C. Sun, O. Ambacher and M. Stutzmann:* Time-resolved photoluminescence study of excitons in hexagonal GaN layers grown on sapphire. Physical Review **B57**, 7066-7070 (1998).

*Pearsall, T.P., A. Di Vergilio, P. Gassot, D.K. Maude, H. Presting, E. Kasper, W. Jäger and D. Stenkamp:* Temperature dependence of mobility in n-type short period Si-Ge superlattices. Applied Physics Letters **72**, 76-78 (1998).

*Pekola, J.P., J.J. Toppari, J.P. Kauppinen, K.M. Kinnunen, A.J. Manninen and A.G.M. Jansen:* Coulomb blockade-based nanothermometry in strong magnetic fields. Journal of Applied Physics **83**, 5582-5584 (1998).

*Penning, F., O. Tress, H. Bluyssen and P. Wyder:* A large conductivity change in 2DES on liquid <sup>4</sup>He under CR conditions. Journal of Low Temperature Physics **110**, 185-90 (1997).

*Peters, K., E.-M. Peters, W. Adam, M. Ahrweiler and D. Reinhardt:* Crystal structure of 13-acetyl-4,13-dimethyl-12-oxacyclopropane-12- spiro-2,4,6- triazatricyclo[5.2.2.0<sup>2,6</sup>]undec-10-ene-3,5,9-trione, C<sub>13</sub>H<sub>13</sub>N<sub>3</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 311-312 (1998).

*Peters, K., E.-M. Peters, W. Adam, M. Ahrweiler and P. Vlcek:* Crystal structure of N,N'-diacetyl-N,N'-dibenzoyl-1,2- ethylenediamine, (CH<sub>3</sub>CO)<sub>2</sub>(C<sub>6</sub>H<sub>5</sub>CO)<sub>2</sub>C<sub>2</sub>H<sub>4</sub>N<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 302 (1998).

*Peters, K., E.-M. Peters, W. Adam, U. Jacob and M. Prein:* Crystal structure of anti-1,4,7,8,9,10-hexamethyl-10-methylthio- 2,4,6-triazatricyclo- [5.2.1.0<sup>2,6</sup>]dec-8-ene-3,5-dione, (CH<sub>3</sub>)<sub>7</sub>C<sub>7</sub>N<sub>3</sub>O<sub>2</sub>S. Zeitschrift für Kristallographie - New Crystal Structures **213**, 307-308 (1998).

- Crystal structure of anti-10-formyl-1,4,7,8,9,10-hexamethyl-2,4,6- triazatricyclo[5.2.1.0<sup>2,6</sup>]dec-8- ene-3,5-dione, (CH<sub>3</sub>)<sub>6</sub>(CHO)C<sub>7</sub>N<sub>3</sub>O<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 309-310 (1998).

*Peters, K., E.-M. Peters, W. Adam and B. Nestler:* Crystal structure of 2-benzoyl-4- methyl-1-[1-(methylethenyl)-2- benzoyloxypropyl]-1,2,4-triazolidine-3,5-dione, C<sub>23</sub>H<sub>23</sub>N<sub>3</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 305-306 (1998).

*Peters, K., E.-M. Peters, W. Adam, X. Qian and C.R. Saha-Moeller:* Crystal structure of 2,2',3,3'-tetramethylbisfuro[3,2-*b*]naphthalene, (CH<sub>3</sub>)<sub>4</sub>C<sub>14</sub>H<sub>4</sub>O<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 303-304 (1998).

*Peters, K., E.-M. Peters, C. Becker and H. Quast:* Crystal structure of 2,6- diphenylbicyclo[3.3.1]non-3-ene-2,6-diol, (C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>C<sub>9</sub>H<sub>10</sub>(OH)<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 603-604 (1998).

*Peters, K., E.-M. Peters, M. Blank, J.-A. Protzen, D. Feineis, R. God and G. Bringmann:* Endogenous alkaloids in Man.28†(1*R*,3*S*)-1-trichloromethyl-1,2,3,4-tetrahydro-β-carboline-3-carboxamide methanol solvate, a potential synthetic precursor to enantiomerically pure TaClo. Acta Crystallographica **C54**, 1005-1007 (1998).

*Peters, K., E.-M. Peters, N.A. Braun and D. Spitzner:* Crystal structure of *tert*- butyl (+)-(1*S*,5*R*,9*S*,4*S*)-9-(2',2'-dimethyl- 1',3'-dioxolan-4'-yl)-3,6-dioxo-2- oxabicyclo[3.3.1]nonane-5- carboxylate, C<sub>18</sub>H<sub>26</sub>O<sub>7</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 87-88 (1998).

*Peters, K., E.-M. Peters, M. Breuning and G. Bringmann:* Crystal structure of 1- ethyl-1-[1-(2-hydroxy-4,6-dimethylphenyl)-2- naphthyl]propan-1-ol, [C<sub>6</sub>H<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>OH][C(OH)(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>]C<sub>10</sub>H<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 345-346 (1998).

*Peters, K., E.-M. Peters, M. Breuning, O. Schupp, A. Wuzik and G. Bringmann:* Crystal structure of methyl 1-(2-hydroxy-4,6-dimethylphenyl)naphthyl- 2- carboxylate, [C<sub>6</sub>H<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>OH](COOCH<sub>3</sub>)C<sub>10</sub>H<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 339-340 (1998).

*Peters, K., E.-M. Peters, M. Breuning, A. Wuzik and G. Bringmann:* Crystal structure of 2-bromomethyl-1-(2-benzyloxy-4,6- dimethylphenyl)naphthalene, C<sub>10</sub>H<sub>6</sub>(CH<sub>2</sub>Br)C<sub>6</sub>H<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>OCH<sub>2</sub>C<sub>6</sub>H<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 555- 556 (1998).

*Peters, K., E.-M. Peters, S. Cossu and O. De Lucchi:* Crystal structure of 18-methyl-21-oxa- 2,9-dithiaheptacyclo[8.6.4.11.<sup>2,15</sup>11.<sup>7,2</sup>00.<sup>1,10</sup>0.<sup>3,8</sup>0.<sup>11,16</sup>]docosa- 3(8),4,6,13-tetraene-2,2,9,9-tetraoxide, C<sub>19</sub>H<sub>16</sub>S<sub>2</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 254 (1998).

*Peters, K., E.-M. Peters, S. Cossu, A. Saba and G. Chelucci:* Crystal structure of (1*R*,2*S*,5*R*)-di(2-isopropyl)-5-methylcyclohexyl-2- diazomalonate, [CH<sub>3</sub>(C<sub>2</sub>H<sub>7</sub>)(C<sub>6</sub>H<sub>9</sub>)CO<sub>2</sub>]<sub>2</sub>CN<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 257-258 (1998).

*Peters, K., E.-M. Peters, K.L. Colson, L.M. Jackman and H. Quast:* Crystal structure of 9,9-dimethyl-10-(N-phenylimino)-9,10- dihydroanthracene, (CH<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>5</sub>N)C<sub>14</sub>H<sub>8</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 605-606 (1998).

*Peters, K., E.-M. Peters, F. Fabris, S. Cossu and O. De Lucchi:* Crystal structure of (1*R*,2*S*)-2-(methyl((E)-2-(phenylsulfonyl)-1- ethenyl)-amino)-1-phenylpropan-1- ol, C<sub>18</sub>H<sub>21</sub>NO<sub>3</sub>S. Zeitschrift für Kristallographie - New Crystal Structures **213**, 109-110 (1998).

*Peters, K., E.-M. Peters, F. Fabris and O. De Lucchi:* Crystal structure of (1*R*,2*S*,4*R*)-2-(2-hydroxy-3-(2-hydroxyphenyl)benzyl)-1,7,7- trimethylbicyclo[2.2.1]heptan-2-ol, C<sub>23</sub>H<sub>28</sub>O<sub>3</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 107-108 (1998).

- Crystal structure of (*P*)-1- {2-hydroxy-3-[(1*R*,2*S*,4*R*)-2-hydroxy-1,7,7- trimethylbicyclo[2.2.1]hept-2- ylmethyl]-1-naphthyl }-3-[(1*R*,2*S*,4*R*)-2- hydroxy-1,7,7- trimethylbicyclo[2.2.1]hept-2-ylmethyl]-2-naphthol, [(C<sub>10</sub>H<sub>5</sub>)(C<sub>11</sub>H<sub>18</sub>)(OH)<sub>2</sub>]<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 499-500 (1998).

- Crystal structure of (*M*)-1- {2-hydroxy-3-[(1*R*,2*S*,5*R*)-1-hydroxy-2- isopropyl-5-methylcyclohexylmethyl]-1-naphthyl }-3-[(1*R*,2*S*,5*R*)-1- hydroxy-2-isopropyl-5-methylcyclohexylmethyl]-2- naphthol, [(C<sub>11</sub>H<sub>7</sub>)(C<sub>10</sub>H<sub>18</sub>)(OH)<sub>2</sub>]<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 501-502 (1998).

*Peters, K., E.-M. Peters, E. Fanghaenel and N. Beye:* Crystal structure of 4,8- bis(isopentylthio)-benzo[1,2-*d*:4,5-*d'*]- bis[1,3]dithiol-2,6-dione, C<sub>6</sub>S<sub>6</sub>(CO)<sub>2</sub>(C<sub>5</sub>H<sub>11</sub>)<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 476 (1998).

*Peters, K., E.-M. Peters, E. Fanghaenel and B. Kordts:* Crystal structure of 4- methylthio-3-(phenylamino)-5-(phenylaminothiocarbonyl)-1,2-dithiol-1-iium trifluoromethanesulfonate, C<sub>4</sub>S<sub>3</sub>(NHC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>(SCH<sub>3</sub>)(SO<sub>3</sub>CF<sub>3</sub>). Zeitschrift für Kristallographie - New Crystal Structures **213**, 477-478 (1998).

- Crystal structure of 3*H*-4- (phenacylthio)-5-(phenylaminothiocarbonyl)- 3-(phenylimino)-1,2-dithiol, C<sub>4</sub>S<sub>3</sub>(NHC<sub>6</sub>H<sub>5</sub>)(NC<sub>6</sub>H<sub>5</sub>)(SCH<sub>2</sub>CO<sub>2</sub>C<sub>6</sub>H<sub>5</sub>). Zeitschrift für Kristallographie - New Crystal Structures **213**, 479- 480 (1998).

- Crystal structure of 3-{{[4-(dimethylamino)phenyl]amino}-5-{{[4-(dimethylamino)phenyl]aminothiocarbonyl}-1,2-dithiol-1-iium-4-thiolate,  $C_4S_3SH(NHC_6H_4N(CH_3)_2)_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 481-482 (1998).

*Peters, K., E.-M. Peters, R. God, S. Faehr and G. Bringmann:* Crystal structure of 1-trichloromethyl-2-propanoyl-1,2,3,4-tetrahydro-. $\alpha$ .-carboline,  $C_{11}H_{10}N_2(COC_2H_5)CCl_3$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 557-558 (1998).

*Peters, K., E.-M. Peters, L. Göbel and G. Bringmann:* Crystal structure of *N*-*tert*- butoxycarbonyl-1-(*S*)-2-(1-(*R*)- hydroxyethyl)phenylethylamine,  $(CH_3CHOH)(COOC_4H_9)(C_6H_4C_2HNH)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 343- 344 (1998).

*Peters, K., E.-M. Peters, R. Götz and G. Bringmann:* Crystal structure of ethyl 8- bromo-4-acetoxy-5-isopropoxynaphthalene-2-carboxylate,  $(OC_3H_7)(OCOCH_3)(OCOC_2H_5)C_{10}H_4Br$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 333- 334 (1998).

*Peters, K., E.-M. Peters, K. Grunwald and A. Hetzheim:* Crystal structure of 4,5- dimethyl-2-(4-methylpiperazin-1-yl)-3- phenacylimidazole,  $C_3N_2(CH_3)_2(CH_2COC_6H_5)[C_4H_8N_2(CH_3)]\cdot H_2O$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 509-510 (1998).

*Peters, K., E.-M. Peters, J.-H. Guse and E.-M. Kraus:* Crystal structure of 5- benzyloxy-3-hydroxy-10-methyltricyclo[3.6.0.<sup>6,10</sup>]2,11-dioxaundecene(8),  $(C_7H_7O)(OH)(CH_3)C_9H_9O_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 553-554 (1998).

*Peters, K., E.-M. Peters, S. Harmsen and G. Bringmann:* Crystal structure of 2,2-dimethyl-1,3-bis-[3-benzyloxy-4,5- (diphenylmethylidenedioxy)benzoyloxy]propane,  $[(C_6H_5)_3C_9H_4O_5]_2(CH_3)_2C_3H_4$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 335-336 (1998).

*Peters, K., E.-M. Peters, M. Kasch and W. Tochtermann:* Crystal structure of (1'*R*\*,2*R*\*,3*R*\*,4*S*\*,5*S*\*,6*S*\*)-2,3,4,5-tetrahydro-6- hydroxy-2-(1'-hydroxyethyl)-3- hydroxymethyl-5-methoxy-2,4- heptanofuran,  $C_{11}H_{16}O[CH(OH)CH_3](OH)(CH_2OH)(OCH_3)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 295-296 (1998).

*Peters, K., E.-M. Peters, C.A. Klaubert and H. Quast:* Crystal structure of 1- trimethylsilyloxy-4,4-dimethylcyclohexane-*r*- 1,*t*-3-dicarbonitrile,  $(CH_3)_2(CN)_2[OSi(CH_3)_3]C_6H_7$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 599-600 (1998).

- Crystal structure of 1- trimethylsilyloxy-3,5,5-trimethylcyclohexane- *r*-1,*t*-3-dicarbonitrile,  $(CH_3)_3(CN)_2[OSi(CH_3)_3]C_6H_6$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 601-602 (1998).

*Peters, K., E.-M. Peters, R. Krebber and W. Tochtermann:* Crystal structure of (2*R*\*,3*S*\*,4*S*\*,5*S*\*,6*R*\*)-5,6-diacetoxy-3- acetoxymethyl-2,3,4,5-tetrahydro-4- hydroxy-2,4-heptanofuran,  $C_{11}H_{16}O(OCOCH_3)_2(CH_2OCOCH_3)OH$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 297-298 (1998).

*Peters, K., E.-M. Peters, D. Kuckling and W. Tochtermann:* Crystal structure of tetramethyl meso-9,9'-bi-(10-oxapentacyclo[5.5.0.0<sup>1,11</sup>.0<sup>7,9</sup>.0<sup>8,12</sup>]dodecane- 8,12-dicarboxylate),  $[C_{11}H_{11}(COOCH_3)_2]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 97-98 (1998).

*Peters, K., E.-M. Peters, L. Leoni, F. Fabris and O. De Lucchi:* Crystal structure of (2*S*,3*R*,6*S*)-2-bromo-3-methyl-6-(1-methylethyl)- cyclohexanone,  $C_6H_7OBr(C_3H_7)(CH_3)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 503-504 (1998).

*Peters, K., E.-M. Peters, M. Liebenau and W. Tochtermann:* Crystal structure of dimethyl ( $2R^*,3R^*,3aR^*,4R^*,5S^*,6aR^*$ )-3,5- butano-4-hydroxy-2-methoxy-1-oxa-6- oxo-perhydralene-3a,4- dicarboxylate,  $C_{11}H_{12}O_2(OH)(OCH_3)(COOCH_3)_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 293-294 (1998).

*Peters, K., E.-M. Peters, M. Liebenau and W. Tochtermann:* Crystal structure of tetramethyl 2,2'-bioxepine-4,4',5,5'- tetracarboxylate,  $[C_6H_3O(COOCH_3)_2]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 279-280 (1998).

- Crystal structure of ( $1R,1'S$ )-1,1'-bis(1,4,5,6,7,8,9,10-octahydro- 1,4-epoxybenzocyclooctene),  $[C_6H_3O(CH_2)_6]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 281-282 (1998).

- Crystal structure of ( $2R,2'S,5R,5'S$ )-2,2'-bi-(2,5-epoxycyclododecan- 1,6-dione),  $[C_{12}H_{17}O_3]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 289-290 (1998).

*Peters, K., E.-M. Peters, T. Linker and T. Sommermann:* Crystal structure of methyl 3,4,-di-O-acetyl-2-deoxy-2-C- [bis(methoxycarbonyl)methyl]-  $\alpha$ -D- arabinopyranoside,  $C_5H_6O[C_2H_3O_2]_2[CH(C_2H_3O_2)_2][OCH_3]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 551-552 (1998).

- Crystal structure of 1,3,4,6-tetra-O-acetyl-2-deoxy-2-C- [bis(methylethoxycarbonyl)methyl]-  $\alpha$ -D- glucopyranose,  $C_5H_5O[C_2H_3O_2]_3[(CH_2)C_2H_3O_2][CH(C_4H_7O_2)_2]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 547-548 (1998).

- Crystal structure of methyl 3,4,6-tri-O-acetyl-2-deoxy-2-C- [bis(methylethoxycarbonyl)methyl]-  $\alpha$ -D- galactopyranoside,  $C_5H_5O[C_2H_3O_2]_2[(CH_2)C_2H_3O_2][CH(C_4H_7O_2)_2][OCH_3]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 549-550 (1998).

*Peters, K., E.-M. Peters, M. Müller and H. Werner:* Crystal structure of bis( $\mu$ .<sup>2</sup>- diphenylamido)bis( $\eta$ .<sup>4</sup>- cycloocta- 1,5-diene)diridium(I),  $[(C_6H_5)_2CH]_2[IrC_8H_{12}]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 275-276 (1998).

*Peters, K., E.-M. Peters, W. Nuedling and H. Quast:* Crystal structure of 8,8'- (5,5',6,6',7,7',8,8'- octahydrobitetrazolo[1,5-a][1',5'-a']bipyridine,  $(C_5H_7N_4)_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 352 (1998).

*Peters, K., E.-M. Peters, M. Ochse and G. Bringmann:* Crystal structure of 2-bromo- 5-isopropoxybenzoic acid,  $C_6H_3Br(COOH)(OC_3H_7)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 559-560 (1998).

- Crystal structure of ethyl 1- (2-hydroxy-4,6-dimethoxy)naphthyl-2- carboxylate,  $C_{10}H_6(COOC_2H_5)C_6H_2(OH)(OCH_3)_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 561- 562 (1998).

*Peters, K., E.-M. Peters, B. Olioso, O. De Lucchi and F. Fabris:* Crystal structure of 2-iododinaphtho[2,1-h:1,2-I]-7,12- dioxaspiro[5.6]dodecane,  $C_{26}H_{21}O_2I$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 111-113 (1998).

- Crystal structure of ( $2R,3R,5R$ )-5-(1-iodo-1-methylethyl)-3-(5- ( $1R,2R,5R$ )-5-(1-iodo-1- methylethyl)-2- methyl-3-oxocyclohexyl)-2- furyl)-2-methylcyclohexan-1-one,  $C_{24}H_{34}O_3I_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 255-256 (1998).

*Peters, K., E.-M. Peters, T. Ortmann and G. Bringmann:* Crystal structure of methyl 4-amino-3-methoxybenzoate,  $C_6H_3NH_2(OCH_3)COOCH_3$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 563-564 (1998).

*Peters, K., E.-M. Peters, F. Ott and W. Tochtermann:* Crystal structure of methyl( $2R^*,3S^*,4S^*,5R^*$ )-2,3,4,5-tetrahydro-3,4- dihydroxy-5-methoxy-6-oxo-2,4- heptanofuran-3-carboxylate,  $C_{11}H_{14}O_2(COOCH_3)(OCH_3)(OH)_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 291-292 (1998).

- Peters, K., E.-M. Peters, T. Panitzsch and W. Tochtermann:* Crystal structure of dimethyl(3aR\*,4S\*,8aR)-decahydro-8-oxo-3,5-(2- oxapropanediylidene)-azulene- 3a,4-dicarboxylate, C<sub>16</sub>H<sub>18</sub>O<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 91-92 (1998).
- Crystal structure of (3aR\*,6aR\*,8R\*,9aR\*,9bR\*)-spiro[(5',5'-dimethyl- 1',3'-dioxane)-2',6- (decahydro-9a-methoxycarbonyl-8,9b-dimethyl-9- oxoazuleno[4,5-c]furan-1(3H)- one)], C<sub>21</sub>H<sub>30</sub>O<sub>7</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 283-284 (1998).
- Crystal structure of (3aR\*,4S\*,8S\*,8aR\*)-dimethyl decahydro-8-hydroxy-(2'-oxapropane- diylidene)azulene-3a,4- dicarboxylate, C<sub>16</sub>H<sub>20</sub>O<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 285-286 (1998).
- Crystal structure of (3R\*,3aS\*,4R\*,5S\*,8aS\*)-dimethyl spiro[1',3'-dioxolan]-2',8-(decahydro-3,5- (2"- oxapropano)azulene- 3a,4-dicarboxylate)], C<sub>18</sub>H<sub>26</sub>O<sub>7</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 287-288 (1998).
- Crystal structure of (3aR\*,6aR\*,9aR\*,9bR\*)-spiro[5',5'-dimethyl- 1',3'-dioxan]-2',6-(decahydro-9a-methoxycarbonyl-9-oxoazuleno[4,5- c]furan-1(3H)-one], C<sub>19</sub>H<sub>26</sub>O<sub>7</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 299-301 (1998).
- Peters, K., E.-M. Peters and H. Quast:* Crystal structure of N- fluorenylideneaniline-benzene (4/1), 4[C<sub>13</sub>H<sub>8</sub>N(C<sub>6</sub>H<sub>5</sub>)] C<sub>6</sub>H<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 607-608 (1998).
- Peters, K., E.-M. Peters, R. Reinhardt and H. Quast:* Crystal structure of (1R\*,7S\*,9S\*,15R\*)-2,6,10,14-tetraazatricyclo[13.1.0.0<sup>7,9</sup>]hexadeca-2,4,10,12- tetraene bis(hydrobromide), C<sub>12</sub>H<sub>16</sub>N<sub>4</sub>(HBr)<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 609-610 (1998).
- Peters, K., E.-M. Peters, C. Salzbrenner and W. Tochtermann:* Crystal structure of (1'R\*,2R\*,3aR\*,6aS\*,6S\*)-2,6-(1'- acetoxyundecano)-4-oxo-hexahydrofuro[3,4- b]furan, C<sub>19</sub>H<sub>30</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 101-102 (1998).
- Crystal structure of (1'R\*,2R\*,3aR\*,6aS\*,6R\*)-2,6-(1'- hydroxyundecano)-4-oxo-hexahydrofuro[3,4- b]furan, C<sub>17</sub>H<sub>28</sub>O<sub>4</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 103-104 (1998).
- Peters, K., E.-M. Peters, A. Schlinger and W. Tochtermann:* Crystal structure of dimethyl (3aR\*,4S\*,8aS\*)-decahydro-8- methylidene-3,5-(2- oxapropanediylidene)azulene-3a,4-dicarboxylate, C<sub>17</sub>H<sub>20</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 89-90 (1998).
- Peters, K., E.-M. Peters, M. Schmittel and H. Trenkle:* Crystal structure of 2- acetoxy-1,1-dimesityl-3,3-dimethylbut-1-ene, (C<sub>9</sub>H<sub>11</sub>)<sub>2</sub>C<sub>2</sub>(CO<sub>2</sub>CH<sub>3</sub>)C(CH<sub>3</sub>)<sub>3</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 105-106 (1998).
- Peters, K., E.-M. Peters, H.G. von Schnering, W. Wojnowski and S. Tamulewicz:* Crystal structure of 2,2,4,4-tetrakis-(tri-tert-butoxysilanethiolato)-1,3,2,4-dithiadistannetane, [Si(OC<sub>4</sub>H<sub>9</sub>)<sub>3</sub>]<sub>4</sub>Sn<sub>2</sub>S<sub>6</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 347-348 (1998).
- Peters, K., E.-M. Peters, B. Schoener and G. Bringmann:* Crystal structure of (P,R<sub>s</sub>)-[1-(2-hydroxy-4,6-dimethylphenyl)-2- naphthyl]-p- tolyl-sulfinylmethylketone, [(C<sub>10</sub>H<sub>6</sub>)(C<sub>6</sub>H<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>OH)]COCH<sub>2</sub>SO(C<sub>6</sub>H<sub>4</sub>CH<sub>3</sub>). Zeitschrift für Kristallographie - New Crystal Structures **213**, 337-338 (1998).
- Peters, K., E.-M. Peters, O. Schupp, A. Wuzik and G. Bringmann:* Crystal structure of 1-methoxynaphthyl-2-carboxylic acid, C<sub>10</sub>H<sub>6</sub>(OCH<sub>3</sub>)COOH. Zeitschrift für Kristallographie - New Crystal Structures **213**, 341-342 (1998).
- Peters, K., E.-M. Peters, M. Steinmetz and H. Quast:* Crystal structures of two diastereomeric 2,4-bis(α-bromobenzyl)-1,5-diphenylpentane-1,5-diones, C<sub>5</sub>H<sub>6</sub>Br<sub>2</sub>(CO)<sub>2</sub>(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 596-598 (1998).

*Peters, K., E.-M. Peters, A. Taugerbeck and W. Tochtermann:* Crystal structure of ( $1R^*, 2S^*, 3S^*, 4R^*$ )-3-bromo-1,2,3,4,5,6,7,8,9,10,11,12,13,14-tetradecahydro-1,4- epoxy benzocyclododecene-2-carboxylic acid,  $C_6H_4O(CH_2)_{10}BrCOOH$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 497-498 (1998).

- Peters, K., E.-M. Peters, J. Ulbricht and A. Hetzheim:* Crystal structure of 1- amino-4-phenyl-2-(3,5-diphenyl-pyrazol-1-yl)- imidazolium picrate-picric acid (1/2),  $[C_{24}H_{20}N_5]_+[C_6H_2N_3O_7]_-.C_6H_3N_3O_7$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 349-351 (1998).
- Crystal structure of 1- acetylamino-2-(2'-ethoxycarbonyl-1'-methyl)- hydrazino-4-phenylimidazole,  $[C_6H_5][NH(CO)CH_3][N(CH_3)NH(COOC_2H_5)]C_3N_2H$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 505-506 (1998).
  - Crystal structure of 2,4- dimethyl-7-(3,5-pyrazol-2-yl)-5-phenyl imidazo[1,5-*b*]pyridazine,  $(C_6H_5)(C_5H_7N_2)C_8H_7N_3$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 507-508 (1998).

*Peters, K., E.-M. Peters, B. Vanselow and W. Tochtermann:* Crystal structure of tetramethyl ( $1R, 1'S$ )-1,1'-bi-(1,4,6,7,8,9,10,11- octahydro-1,4- epoxybenzocyclooctene-2,3-dicarboxylate),  $[C_{12}H_{13}O(COOCH_3)_2]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 93-94 (1998).

- Crystal structure of tetramethyl ( $M,P$ )-2,2'-bi-(3,6-hexanooxepine- 4,5-dicarboxylate),  $[C_{12}H_{13}O(COOCH_3)_2]_2$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 95-96 (1998).

*Peters, K., E.-M. Peters, T. von Haugwitz and W. Tochtermann:* Crystal structure of ( $2R^*, 5S^*$ )-2,5-dihydro-5-hydroxy-2-methoxy-3,4- hexamethylene-2,5-(6,13- dioxooctano)-furan,  $C_{19}H_{28}O_5$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 99-100 (1998).

- Crystal structure of ( $2R^*, 3S^*, 4R^*, 5S^*$ )-2,3,4,5-tetrahydroxy-3,4- hexamethylene-2,5-(6,13-dioxooctano)tetrahydrofuran,  $C_{18}H_{28}O_7$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 277-278 (1998).
- Crystal structure of ( $1R^*, 8R^*$ )-8-hydroxy-19-oxa- tricyclo[8.8.1.0<sup>1,8</sup>]nonadec-10-Z-ene-9,17,18- trione,  $(C_8H_4N_2)(C_{16}H_{24}O_3)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 495-496 (1998).

*Peters, K., E.-M. Peters, A. Wuzik and G. Bringmann:* Crystal structure of 2- benzyloxy-3-hydroxynaphthalene,  $C_{10}H_6(OH)OCH_2C_6H_5$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 565-567 (1998).

*Peters, K., E.-M. Peters, L. Xiaolan and H. Werner:* Crystal structure of (.η.5- cyclopentadienyl)(2-allyl-3-methyl-4- methylene-1-aza-3-azonia-2-butene-1,4- diyl)(dimethylphenylphosphine) cobalt(III) hexafluorophosphate,  $C_5H_5Co(CH_3)(CH_2)(C_3H_5)C_2N_2H[P(C_6H_5)(CH_3)_2]PF_6$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 273-274 (1998).

*Pfannkuche, D., R.H. Blick, R.J. Haug, K. von Klitzing and K. Eberl:* Coupled quantum dots: manifestation of an artificial molecule. Superlattices and Microstructures **23**, 1255-1264 (1998).

*Pfeuffer-Jeschke, A., F. Goschenhofer, S.J. Cheng, V. Latussek, J. Gerschütz, C.R. Becker, R.R. Gerhardts and G. Landwehr:* Cyclotron masses of asymmetrically doped HgTe quantum wells. Physica **B256-258**, 486-489 (1998).

*Pilawa, B., M.T. Kelemen, S. Wanka, A. Geisselmann and A.L. Barra:* Magnetic properties of a new spin cluster topology with high spin ground state: the spin cluster  $[Mn_4^{II}Mn_3^{III}(teaH)_3(tea)_3](ClO_4)_{2.3}MeOH$ . Europhysics Letters **43**, 7-12 (1998).

*Plaut, A.S., S. Patel, W.G. Stallard, P. Hawrylak, H. Lage, P. Grambow, D. Heitmann, K. von Klitzing, S. Thomas, M.C. Holland, S.P. Beaumont, C.R. Stanley, M. Hopkins, J.P. Harbison and L.T. Florez:* Magneto-optics of zero-dimensional electron systems. Physica **E1**, 191-197 (1997).

*Plieninger, R., H. Wanka, J. Kuhnle and J. Werner:* Efficient defect passivation by hot-wire hydrogenation. Applied Physics Letters **71**, 2169-71 (1997).

*Ponomarev, B.K., J. Zeman, G. Martinez, A.G.M. Jansen, P. Wyder, A.K. Zvezdin, V.D. Negrii and B.S. Red'Kin:* The anisotropy of the intensity of the optical absorption in  $\beta'$ . $Tb_2(MoO_4)_3$ . Ferroelectrics **204**, 279-288 (1997).

*Ponosov, Yu.S., G.A. Bolotin, C. Thomsen and M. Cardona:* Raman scattering in Os: nonadiabatic renormalization of the optical phonon self-energies. Physica Status Solidi **B208**, 208-269 (1998).

*Potemski, M., L. Gravier, A. Truby, D.K. Maude, P. Hawrylak, Z. Wasilewski and B. Etienne:* Emission from a two-dimensional electron gas in quantizing magnetic fields. Physica **B249-251**, 566-570 (1998).

*Privman, I., I.D. Vagner and K. Kvetsel:* Quantum computing in quantum Hall systems. Physics Letters **A239**, 141-146 (1998).

*Prokof'ev, N.V. and P.C.E. Stamp:* Low-temperature quantum relaxation in a system of magnetic nanomolecules. Physical Review Letters **80**, 5794-5797 (1998).

*Queisser, H.-J.:* Fifty years after poly-germanium: counting on perfected silicon. Proceedings of the Electrochemical Society **98-1**, 3 (1998).

- Materials research in early silicon valley and earlier yet. Proceedings of the Electrochemical Society **98-1**, 4-25 (1998).

- Forschung in Silicon Valley. In: Berichte und Abhandlungen, Berlin-Brandenburgische Akademie der Wissenschaften **5**. Akademie Verlag, Berlin 1998, 93-124.

- Electrons and defects in semiconductors. In: Defect and Impurity Engineered Semiconductors, (Eds.) S. Ashok et. al. Materials Research Society Symposium Proceedings 510. Materials Research Society, Pittsburg 1998, 289-300.

- Bildungsvergleich USA. Forschung und Lehre **4**, 189 (1998).

- Defects in semiconductors: some fatal, some vital. Science **281**, 945-950 (1998).

- Belohnte Liebesmüh: Physik!. Festvortrag Universität Stuttgart, Juli 1998 (Videoaufzeichnung).

- Quantenbauelemente. In: Lösbare Probleme der Quantentheorie, (Ed.) A. Ozeki. Yomiuri Blue Backs Series, Tokyo 1997, 231-243 (in japanischer Sprache).

- A titanic progenitor. In: Crystal Fire, (Eds.) M. Riordan and L. Hoddeson. Norton, New York, 1997, 10.

*Ramlau, R.:* Handbook of microscopy. Applications in materials science, solid-state physics and chemistry. Angewandte Chemie, International Edition in English **36**, 2694-2695 (1997).

*Ramlau, R., V. Duppel, A. Simon, S. Cordier, C. Perrin and M. Sergent:* Twinning in  $Cs_2YbNb_6Br_{18}$  and the atomic structure of the twin interface. Journal of Solid State Chemistry **141**, 140-148 (1998).

*Ramsak P. and P. Horsch:* Spatial structure of spin polarons in the t-J model. Physical Review **B57**, 4308-4320 (1998).

*Rigal, L.B., D.K. Maude, J.C. Portal, M. Bennett, K. E. Singer, A.R. Peaker, G. Hill and M.A. Pate:* Exchange splitting and spin disorder scattering in TmAs. Solid State Communications **106**, 373-377 (1998).

*Rikken, G.L.J.A. and E. Raupach:* Pure and cascaded magneto-chiral anisotropy in optical absorption. Physical Review **B58**, 5081-5084 (1998).

*Rikken, G.L.J.A., A. Sparenberg and B.A. van Tiggelen:* Photonic magneto-transport. Physica **B246-247**, 188-194 (1998).

*Rikken, G.L.J.A. and B.A. van Tiggelen:* "Direction of optical energy flow in a transverse magnetic field". Reply to comment. Physical Review Letters **80**, 1114-1115 (1998).

*Rikken, G.L.J.A., B.A. van Tiggelen and A. Sparenberg:* Lichtverstrooing in een magneetveld. Nederlands Tijdschrift voor Natuurkunde **64**, 67-70 (1998).

*Roch, T., S. Yaghoubzadeh, F.S. Razavi, B. Leibold, R. Praus and H.-U. Habermeier:* Colossal pressure-induced negative resistance change in  $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3$  thin films. Applied Physics **A67**, 723-725 (1998).

*Rodewald, S., J. Fleig and J. Maier:* Investigation of inhomogeneous electrical properties of oxides using microcontact impedance spectroscopy. In: Ionic and Mixed Conducting Ceramics III, (Eds.) T.A. Ramanaryanan et al. Proceedings of the Electrochemical Society 97-24. Electrochemical Society, Pennington 1997, 283-292.

*Roennow, D., P. Santos, M. Cardona, E. Anastassakis and M. Kuball:* Piezo-optics of InP in the visible-ultraviolet range. Physical Review **B57**, 4432-4442 (1998).

*Roshko, S., W. Dietsche and L. Challis:* Spectroscopy of phonon emission in the quantum Hall effect regime. Physical Review Letters **80**, 3835-3838 (1998).

*Rosenbauer, M., and M. Stutzmann:* Transport properties and electroluminescence of siloxene. Journal of Applied Physics **82**, 4520-4524 (1997).

*Roth, S.:* Solitons in polyacetylene. In: Field Theoretical Tools for Polymer and Particle Physics. Proceedings of Graduiertenkolleg Wuppertal, (Eds.) H. Meyer-Ortmanns and A. Kluemper. Lecture Notes in Physics 508, Springer, Berlin 1998, 1-18.

*Roth, S., S. Blumentritt, M. Burghard, E. Cammi, D. Carroll, S. Curran, G. Duesberg, K. Liu, J. Muster, G. Philipp and T. Rabenau:* Molecular rectifiers and transistors based on pi-conjugated materials. Synthetic Metals **94**, 105-110 (1997).

*Roth, S., S. Blumentritt, M. Burghard, O. Jaschinski, K. Liu, J. Muster, G. Philipp, F. Zha, P. Redlich, D.L. Carroll, P.M. Ajayan, S. Curran and G. Duesberg:* Density of states and tunneling spectroscopy on molecular nanostructures. Thin Solid Films **331**, 45-50 (1998).

*Roth, S., M. Burghard and G. Leising:* Molecular materials for electronic and optical applications. Current Opinion in Solid State & Materials Science **3**, 209-215 (1998).

*Rousseau R. and D. Marx:* Fluctuations and bonding in lithium clusters. Physical Review Letters **80**, 2574-2577 (1998).

*Rovira, C., K. Kunc, J. Hutter, P. Ballone and M. Parrinello:* Equilibrium geometries and electronic structure of iron-porphyrin complexes: A density functional study. Journal of Physical Chemistry **A101**, 8914-8925 (1997).

- A comparative study of O<sub>2</sub>, CO, and NO binding to iron-porphyrin. International Journal of Quantum Chemistry **69**, 31-35 (1998).

*Rovira, C. and M. Parrinello:* Oxygen binding to iron-porphyrin: a density functional study using both LSD and LSD + GC schemes. International Journal of Quantum Chemistry **70**, 387-394 (1998).

*Rozenberg, G.Kh., M.P. Pasternak, A.P. Milner, M. Amanoicz, G.R. Hearne, K.E. Brister and P. Adler:* Magnetic-electronic, conductivity and structural pressure studies of Sr<sub>2</sub>FeO<sub>4</sub> and Sr<sub>3</sub>Fe<sub>2</sub>O<sub>7</sub>. Revue of High Pressure Science Technology **7**, 653-655 (1998).

*Rozenberg, G.Kh., M.P. Pasternak, A.P. Milner, M. Amanowicz, R.D. Taylor, U. Schwarz, K. Syassen, K.E. Brister and M. Hanfland:* Pressure induced amorphization of antiferromagnetic FePO<sub>4</sub> and Fe(OH)<sub>2</sub>. Review of High Pressure Science Technology **7**, 356-358 (1998).

*Rubel, H., A. Fischer, W. Dietsche, K. von Klitzing and K. Eberl:* Fabrication of independently contacted and tuneable 2D-electron-hole systems in GaAs/AlGaAs double quantum wells. Materials Science & Engineering **B51**, 207-211 (1997).

*Rubel, H., A. Fischer, W. Dietsche, C. Jörger, K. von Klitzing and K. Eberl:* Magnetic field studies of the frictional drag between coupled two-dimensional electronic systems - coulomb versus phonon coupling. Physica **E1**, 160-166 (1997).

*Rühle, W.W., S. Hallstein, J.D. Berger, M. Hilpert, H.C. Schneider, F. Jahnke, S.W. Koch, H.M. Gibbs, G. Khitrova and M. Oestreich:* Pulsed vertical-cavity-laser emission synchronized to electron spin precession. Physica Status Solidi **B206**, 387-398 (1998).

*Ruf, T., M. Cardona, H. Sternschulte, S. Wahl, K. Thonke, R. Sauer, P. Pavone and T. Anthony:* Cathodo-luminescence investigation of isotope effects in diamond. Solid State Communications **105**, 311-316 (1998).

*Sachse, J.-U., J. Weber and H. Lemke:* Palladium-hydrogen related complexes in silicon. Materials Science Forum **258-263**, 307-312 (1997).

*Sadowski, M.L., G. Martinez and M. Grynberg:* Comment on „Magnetospectroscopy of bound phonons in high purity GaAs“. Physical Review Letters **81**, 2834-2837 (1998).

*Said, K., J. Poortmans, M. Liberzny, M. Cayrnat, J. Nijs, R. Mertens, C. Vinckier, D. Vyncke, W. Seifert, M. Kittler, I. Silier, A. Gutjahr and M. Konuma:* Low temperature passivation for SiGe-alloy solar cells. In: Proceedings of the 14<sup>th</sup> European Photovoltaic Solar Energy Conference, (Eds.) H.A. Ossenbrink et al. Stephens, Bedford 1997, 986-992.

*Salzmann, R., M. Kaupp, M. McMahon and E. Oldfield:* Solid-state nuclear magnetic resonance spectroscopic and quantum chemical investigation of <sup>13</sup>C and <sup>17</sup>O chemical shift tensors, <sup>17</sup>O nuclear quadrupole coupling tensors and bonding in transition-metal carbonyl complexes and clusters. Journal of the American Chemical Society **120**, 4771-4783 (1998).

*Samuely, P., P. Szabó, T. Klein, A.G.M. Jansen, J. Marcus, C. Escribe-Filippini and P. Wyder:* Upper critical field in Ba<sub>1-x</sub>K<sub>x</sub>BiO<sub>3</sub>: magnetotransport versus magnetotunneling. Europhysics Letters **41**, 207-212 (1998).

*Sasaki, K., P. Murugaraj, M. Haseidl and J. Maier:* Redox-active impurity ions in solid electrolytes and their influence on transport properties. Proceedings of the Electrochemical Society **97-40**, 1190-1202 (1997).

*Sassmannshausen, J., H.G. von Schnering and L. Walz:* The crystal structure of the Cu<sub>4</sub>O<sub>4</sub>-heterocubane copper(II) complex [Cu{OCH<sub>2</sub>CH<sub>2</sub>N(C<sub>4</sub>H<sub>9</sub>)<sub>2</sub>}NCO]<sub>4</sub> at 200 K. Zeitschrift für Kristallographie **212**, 656-661 (1997).

*Savrasov, S.Y.:* Linear response calculations of spin fluctuations. Physical Review Letters **81**, 2570-2573 (1998).

*Schaal, H., J. Nuss, W. Höngle, Y. Grin and H.G. von Schnering:* Crystal structure of tetraeuropium diantimonide oxide, Eu<sub>4</sub>Sb<sub>2</sub>O. Zeitschrift für Kristallographie - New Crystal Structures **213**, 1-3 (1998).

*Scherb, G., A. Kazimirov and J. Zegenhagen:* A novel thick-layer electrochemical cell for in situ X-ray diffraction. Review of Scientific Instruments **69**, 512-516 (1998).

*Scherb, G., A. Kazimirov, J. Zegenhagen, T.L. Lee, M.J. Bedzyk, H. Noguchi and K. Uosaki:* In situ x-ray standing analysis of electrodeposited Cu monolayers on GaAs(001). Physical Review **B58**, 10800-10805 (1998).

*Schieker, S., O.G. Schmidt, K. Eberl, N. Jin-Phillipp and F. Phillip:* Annealing effects on carbon-induced germanium dots in silicon. Applied Physics Letters **72**, 3344-3346 (1998).

*Schlüter, H.-J., M. Barsoum and J. Maier:* Kinetics study of oxygen incorporation in SrTiO<sub>3</sub> by permeation experiments. Solid State Ionics **101-103**, 509-515 (1997).

*Schmid, J., J. Weis, K. Eberl and K. von Klitzing:* A quantum dot in the limit of strong coupling to reservoirs. Physica **B256-258**, 182-185 (1998).

*Schmidt, T., R.J. Haug, K. von Klitzing and K. Eberl:* Single-electron effects in slim semiconductor superlattices. Applied Physics Letters **73**, 1982-1984 (1998).

*Schmidt, T., A.G.M. Jansen, R.J. Haug, K. von Klitzing and K. Eberl:* Magnetic control of electric-field domains in semiconductor superlattices. Physical Review Letters **81**, 3928-3931 (1998).

*Schmidt, O.G., A. Lange, K. Eberl, O. Kienzle and F. Ernst:* Influence of pre-grown carbon on the formation of germanium dots. Thin Solid Films **321**, 70-75 (1998).

- Formation of carbon-induced germanium dots. Applied Physics Letters **71**, 2340-2342 (1997).

*Schmidt, O.G. and K. Eberl:* Photoluminescence of tensile strained, exactly strain compensated, and compressively strained Si<sub>1-x-y</sub>Ge<sub>x</sub>C<sub>y</sub> layers on Si. Physical Review Letters **80**, 3396-3399 (1998).

*Schmidt, O.G., S. Schieker, K. Eberl, O. Kienzle and F. Ernst:* Carbon-induced germanium dots: kinetically-limited islanding process prevents coherent vertical alignment. Applied Physics Letters **73**, 659-661 (1998).

*Schnelle, W., R. Henn, T. Gulden, R. Kremer and A. Simon:* Specific heat, magnetization and C-isotope effect of Y<sub>2</sub>C<sub>2</sub>(Br,I)<sub>2</sub> superconductors. Journal of Applied Physics **83**, 7321-7323 (1998).

*Schnerring, H.G. von, Yu. Grin, M. Kaupp, M. Somer, R.K. Kremer, O. Jepsen, T. Chatterji and M. Weiden:* Redetermination of the crystal structure of sodium vanadate,  $\alpha'$ -NaV<sub>2</sub>O<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 246 (1998).

*Schnerring, H.G. von, M. Somer, M. Kaupp, W. Carrillo-Cabrera, M. Baitinger, A. Schmeding and Yu. Grin:* The cluster anion Si<sup>4+</sup><sub>9</sub>. Angewandte Chemie, International Edition **37**, 2359-2363 (1998).

*Schnerring, H.G. von, D. Vu and K. Peters:* Crystal structure of yttrium pentaphosphide, YP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 459 (1998).

*Schnerring, H.G. von, W. Wichelhaus, M. Wittmann, H.P. Weber and K. Peters:* Crystal structure of cerium pentaphosphide, CeP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 460 (1998).

*Schnerring, H.G. von, M. Wittmann and K. Peters:* Crystal structure of praseodymium pentaphosphide, PrP<sub>5</sub> and of samarium pentaphosphide, SmP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 461-462 (1998).

- Crystal structure of dysprosium pentaphosphide, DyP<sub>5</sub> and of holmium pentaphosphide, HoP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 463-464 (1998).

- Crystal structure of  $\alpha$ -ytterbium pentaphosphide,  $\alpha$ -YbP<sub>5</sub> and of  $\beta$ -ytterbium pentaphosphide,  $\beta$ -YbP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 465-466 (1998).
- Crystal structure of thulium pentaphosphide, TmP<sub>5</sub> and of lutetium pentaphosphide, LuP<sub>5</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 467-468 (1998).

*Schönherr, E., M. Freiberg and H. Hartmann:* In situ observed twin formation on ZnSe crystals growing by sublimation. Crystal Research and Technology **32**, 1-9 (1997).

*Schönherr, E., M. Freiberg, D. Siche and H. Hartmann:* Correction on the vapor composition of ZnSe determined with a modified Knudsen technique. Berichte der Bunsen-Gesellschaft **102**, 704 (1998).

*Scholten, M. and R. Dronskowski:* Crystal structure of indium magnesium tribromide, InMgBr<sub>3</sub>. Zeitschrift für Kristallographie - New Crystal Structures **212**, 1-6 (1997).

*Schwand, C. and W. Weppner:* Kinetics of oxygen, platinum/stabilized zirconia and oxygen, gold/stabilized zirconia electrodes under equilibrium conditions. Journal of the Electrochemical Society **144**, 3728-3738 (1997).

*Schwarz, U., S. Bräuninger, Y. Grin, K. Syassen and M. Hanfland:* Structural phase transition of HoGa<sub>2</sub> at high pressure. Journal of Alloys and Compounds **268**, 161-165 (1998).

*Schwarz, U., S. Bräuninger, K. Syassen and R. Kniep:* Pressure-induced phase transformation of LiIn and LiCd: from NaTl-type phases to  $\beta$ -brass-type alloys. Journal of Solid State Chemistry **137**, 104-111 (1998).

*Schwarz, U., K. Takemura, M. Hanfland and K. Syassen:* Crystal structure of Cesium-V. Physical Review Letters **81**, 2711-2714 (1998).

*Seck, M., R. Devine, C. Hernandez, Y. Campidelli and J.-C. Dupuy:* Study of Ge bonding and distribution in plasma oxides of Si<sub>1-x</sub>Ge<sub>x</sub> alloys. Applied Physics Letters **72**, 2748-2750 (1998).

*Seck, M., M. Potemski and P. Wyder:* High-field spin resonance of weakly bound electrons in GaAs. Physical Review **B56**, 7422-7427 (1997).

*Seck, M. and P. Wyder:* A sensitive broadband high-frequency electron spin resonance/electron nuclear double resonance spectrometer operating at 5-7.5 mm wavelength. Review of Scientific Instruments **69**, 1817-1822 (1998).

*Sembian, A.M., I. Silier, K. Davies, A. Gutjahr, K. Lyutovich, M. Konuma and F. Banhart:* Surface morphology of LPE SiGe layers grown on (100)Si substrates. In: Thin-Film Structures in Photovoltaics, (Eds.) E.D. Jones et al. Materials Research Society Symposia Proceedings 485. Materials Research Society, Warrendale 1998, 19-24.

*Semenchinskii, S.G., L. Smrcka, P. Vasek and L. Jansen:* Oscillations of the magnetoresistance in an inclined magnetic field for MIS structures on (100) silicon with a high electron density. JETP Letters **67**, 153-158 (1998).

*Seyed, H. and M. Jansen:* Crystal structure of 1-(trimethylammonium)-4-(trimethylammoniummethyl)-benzene diiodide, C<sub>13</sub>H<sub>24</sub>I<sub>2</sub>N<sub>2</sub>. Zeitschrift für Kristallographie - New Crystal Structures **213**, 445-446 (1998).  
- A novel access to ionic superoxides and the first accurate determination of the bond distance in O<sub>2</sub><sup>-</sup>. Journal of the Chemical Society: Dalton Transactions, 875-876 (1998).

*Siegle, H., A.R. Goñi, C. Thomsen, C. Ulrich, K. Syassen, B. Schöttker, D.J. As and D. Schikora:* High-pressure raman scattering of biaxially strained GaN on GaAs. In: Gallium Nitride and Related Materials II, (Eds.) C.R. Abernathy et al. Materials Research Society Proceedings 468. Material Research Society, Pittsburgh 1997, 225-230.

*Silvestrelli, P., M. Bernasconi and M. Parrinello:* Ab initio infrared spectrum of liquid water. Chemical Physics Letters **277**, 478-482 (1997).

*Silvestrelli, P., N. Marzari, D. Vanderbilt and M. Parrinello:* Maximally-localized Wannier functions for disordered systems: application to amorphous silicon. Solid State Communications **107**, 1-10 (1998).

*Silvestrelli, P. and M. Parrinello:* Ab initio molecular dynamics simulation of laser melting of graphite. Journal of Applied Physics **83**, 2478-2483 (1998).

*Sirenko, A.A., V.I. Belitsky, T. Ruf, M. Cardona, A.I. Ekimov and C. Trallero-Giner:* Spin-flip and acoustic-phonon Raman scattering in CdS nanocrystals. Physical Review **B58**, 2077-2087 (1998).

*Smet, J.:* Ballistic transport of composite fermions in semiconductor nanostructures. In: Composite Fermions: A Unified View of the Quantum Hall Regime, (Ed.) O.G.Heinonen. World Scientific, Singapore 1998, 444-491.

*Smet, J., K. von Klitzing, D. Weiss and W. Wegscheider:* DC transport of composite fermions in weak periodic potentials. Physical Review Letters **80**, 4538-4541 (1998).

*Smet, J.H., D. Weiss, K. von Klitzing, R. Fleischmann, R. Ketzmerick, T. Geisel, W. Wegscheider, P.T. Coleridge, Z.W. Wasilewski and G. Weimann:* Composite fermions in magnetic focusing and commensurability experiments. Physica **B249-251**, 15-22 (1998).

- Enhanced soft-wall effects for composite fermions in magnetic focusing and commensurability experiments. Physica **E1**, 153-159 (1997).

*Smith, T.J., K.H. Anderson, U. Beck, H. Capellmann, R.K. Kremer, K.-U. Neumann, O. Schärfp, A. Simon and K.R.A. Ziebeck:* The absence of local moments in the superconductor  $\text{YBa}_2\text{Cu}_3\text{O}_{6.95}$ . Journal of Magnetism and Magnetic Materials **177-181**, 543-544 (1998).

*Smrka, L., P. Vasek, T. Jungwirth, O.N. Makarovskii, M. Cukr and A.G.M. Jansen:* In-plane/tilted magnetic-field-dependent conductance of 2D electron systems in asymmetric double quantum wells. Acta Physica Polonica **A92**, 981-984 (1997).

*Somer, M., W. Carrillo-Cabrera, E.-M. Peters, K. Peters and H.G. von Schnering:* Crystal structure of rubidium catena-di- $\mu$ -phosphidoindate di- $\mu$ -phosphido- bis(phosphidoindate),  $\text{Rb}_{12}\infty[\text{InP}_2]_2[\text{In}_1\text{P}_4]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 5-6 (1998).

*Somer, M., W. Carrillo-Cabrera, K. Peters and H.G. von Schnering:* - Crystal structure of tribarium tetraphosphidodiindate,  $\text{Ba}_3\text{In}_2\text{P}_4$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 4 (1998).

- Crystal structure of tetradecaeuropium tetraphosphide tetraphosphidoaluminate polytriporphide,  $\text{Eu}_{14}(\text{P})_4(\text{Al}_1\text{P}_4)(\text{P}_3)$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 7 (1998).

- Crystal structure of trisodium tristrontium tetraphosphidoaluminate,  $\text{Na}_3(\text{Sr}_{2.88}\text{Na}_{0.12})[(\text{Al}_{0.94}\text{Nb}_{0.06})\text{P}_4]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 8 (1998).

- Crystal structure of tristrontium tetraphosphidodialuminate,  $\text{Sr}_3\text{Al}_2\text{P}_4$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 230 (1998).

*Steinbrenner, U., P. Adler, W. Hölle and A. Simon:* Electronic structure and chemical bonding in alkaline earth metal subnitrides: photoemission studies and band structure calculations. *Journal of Physics and Chemistry of Solids* **59**, 1527-1536 (1998).

*Steinbrenner, U. and A. Simon:* Structural frustration in a rod packing. An analogy to the disordered triangular Ising net. [Erratum to document cited in CA127:102075]. *Zeitschrift für Kristallographie* **212**, 688 (1997).  
- Ba<sub>3</sub>N - a new binary nitride of an alkaline earth metal. *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 228-232 (1998).

*Stepniewski, R., A. Wysmolek, M. Potemski, J. Lusakowski, K. Korona, K. Pakula, J.M. Baranovski, G. Martinez, I. Grzegory and S. Porowski:* Impurity related luminescence of homiepitaxial GaN studied with high magnetic fields. *Physica Status Solidi* **B210**, 373-384, (1998).

*Stollhoff, G.:* Electrons in high-T<sub>c</sub> compounds: ab initio correlation results. *Physical Review* **B58**, 9826-9828 (1998).

*Strach, T., J. Brunen, B. Lederle, J. Zegenhagen and M. Cardona:* Determination of the phase difference between the Raman tensor elements of the A<sub>1g</sub>-like phonons in SmBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>. *Physical Review* **B57**, 1292-1297 (1998).

*Strach, T., T. Ruf, A.M. Niraimathi, A.A. Martin and M. Cardona:* Raman study of phonons and crystal-field excitations in NdBa<sub>2</sub>Cu<sub>3-x</sub>Ga<sub>x</sub>O<sub>7-δ</sub>. *Physica* **C301**, 9-16 (1998).

*Strohm, T., V.I. Belitsky, V.G. Hadjiev and M. Cardona:* Comment on „Raman scattering study on fully oxygenated YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> single crystals: x-y anisotropy in the superconductivity-induced effects. *Physical Review Letters* **81**, 2180.

*Suryanarayanan, R., J. Berthon, I. Zelenay, B. Martinez, X. Obradors, S. Uma and E. Gmelin:* Thermoelectric power, specific heat, and giant magnetoresistance of La<sub>0.85</sub>MnO<sub>3</sub>. *Journal of Applied Physics* **83**, 5264-5269 (1998).

*Szotek, Z., B.L. Gyorffy, W.M. Temmermann and O.K. Andersen:* Van Hove scenario and the eight-band model for high-T<sub>c</sub> superconductors. *Physical Review* **B58**, 522-526 (1998).

*Tallon, J.L., C. Bernhard, G.V.M. Williams and J.W. Loram:* Zn-induced T<sub>c</sub> reduction in high-T<sub>c</sub> superconductors: scattering in the presence of a pseudogap. *Physical Review Letters* **79**, 5294-5297 (1997).

*Tallon, J.L., G.V.M. Williams, N.E. Flower and C. Bernhard:* Phase separation, pseudogap and impurity scattering in the HTS cuprates. *Physica* **C282-287**, 236-239 (1997).

*Tast, F., N. Malinowski, I. Billas, M. Heinebrodt, W. Branz and T. Martin:* Polymerized C<sub>60</sub> clusters. *Journal of Chemical Physics* **107**, 6980-6985 (1997).

*Termath, V., F. Haase, J. Sauer, J. Hutter and M. Parrinello:* Understanding the nature of water bound to solid acid surfaces. Ab initio simulation on HSAPo-34. *Journal of the American Chemical Society* **120**, 8512-8516 (1998).

*Teske, E., P. Leiderer, P. Wyder and V. Shikin:* Mapping of surface potentials by electrons on a helium film. *Journal of Low Temperature Physics* **110**, 249-254 (1997).

- Mapping of 2D contact perturbations by electrons on a helium film. *Low Temperature Physics* **24**, 163-165 (1997).

*Timofeev, V.B., A.I. Filin, A.V. Larionov, J. Zeman, G. Martinez, J.M. Hvam, D. Birkedal and C.B. Sørensen:* Influence of random potential fluctuations on the interwell radiative recombination in biased double quantum well. *Europhysics Letters* **41**, 535-540 (1998).

*Timofeev, V.B., A.V. Larionov, A.S. Ioselevitch, J. Zeman, G. Martinez, J.M. Hvam and C.B. Sørensen:* Interwell radiative recombination in the presence of random potential fluctuations in GaAs/AlGaAs biased double quantum wells. *JETP Letters* **67**, 613-616 (1998).

*Timofeev, V.B., A.V. Larionov, J. Zeman, G. Martinez, V.I. Falko, M. Bayer and A. Forchel:* Kinetics of dark excitons and excitonic trions in InGaAs single quantum well. *European Journal of Physics* **B4**, 39-43 (1998).

*Tochtermann, W., A.-K. Mattauch, E.-M. Peters, K. Peters and H.G. von Schnering:* Synthesis and reactions of optically active bridged deoxyfuranose derivatives. *European Journal of Organic Chemistry* **1998**, 683-688 (1998).

*Tochtermann, W., T. Panitzsch, C. Wolff, E.-M. Peters, K. Peters and H.G. von Schnering:* The reaction of dimethyl 10-oxo-3,6-hexanooxepine-4,5-dicarboxylate with sodium methoxide/methanol - a reinvestigation. *European Journal of Organic Chemistry* **1998**, 507-508 (1998).

*Toet, D., G. Aichmayr, M. Mulato, P. Santos, A. Spangenberg and R. Bergmann:* Optical and structural characterization of silicon microstructures fabricated by laser interference crystallization. In: *Amorphous and Microcrystalline Silicon Technology - 1997*, (Eds.) S. Wagner et al. Materials Research Society Symposium Proceedings 467. Materials Research Society, Pittsburgh 1997, 337-342.

*Trallero-Giner, C., A. Debernardi, M. Cardona, E. Menendez-Proupin and A. Ekimov:* Optical vibrons in CdSe dots and dispersion relation of the bulk material. *Physical Review* **B57**, 4664-4669 (1998).

*Tress, O., F.C. Penning, G. Mistura, E. Teske and P. Wyder:* Polaron transition of surface electrons on liquid  ${}^4\text{He}$  films in zero and quantizing magnetic fields. *Physica* **B249-251**, 644-647 (1998).

*Trout, B.L. and M. Parrinello:* The dissociation mechanism of  $\text{H}_2\text{O}$  in water studied by first-principles molecular dynamics. *Chemical Physics Letters* **288**, 343-347 (1998).

*Tsoi, M.V., A. Jansen, J. Bass, W.-C. Chiang, M. Seck, V. Tsoi and P. Wyder:* Excitation of a magnetic multilayer by an electric current. *Physical Review Letters* **80**, 4281-4284 (1998).

*Tsoi, M.V., A. Bohm, M. Primke, V. S. Tsoi and P. Wyder:* Direct observation of conduction electron beam transmission through a Bi intercrystalline boundary. *Physical Review* **B56**, R15581-R15584 (1997).

*Tyagi, A.K. and J. Köhler:* Preparation and Rietveld refinement of the structure of  $\beta$ - $\text{Li}_3\text{AlF}_6$ . *Materials Research Bulletin* **32**, 1683-1689 (1997).

*Uma, S., G. Rangarajan and E. Gmelin:* Influence of Al substitution in  $\text{PrBa}_2\text{Cu}_3\text{O}_{7-\delta}$  single crystals. *Physica* **C301**, 141-146 (1998).

*Uma, S., W. Schnelle, E. Gmelin, G. Rangarajan, S. Skanthakumar, J.W. Lynn, R. Walter, T. Lorenz, B. Buchner, E. Walker and A. Erb:* Magnetic ordering in single crystals of  $\text{PrBa}_2\text{Cu}_3\text{O}_{7-\delta}$ . *Journal of Physics: Condensed Matter* **10**, L33-L39 (1998).

*Urbach, H.P. and G.L.J.A. Rikken:* Spontaneous emission from a dielectric slab. *Physical Review* **A57**, 3913-3930 (1998).

*Vagner, I.D., A.S. Rozhavsky and P. Wyder:* Hyperfine interaction driven Aharonov-Bohm effect in mesoscopic rings. *Journal of Low Temperature Physics* **23**, 1305-1308 (1997).

*Vagner, I.D., A.S. Rozhavsky, P. Wyder and A.Y. Zyuzin:* Is the magnetic field necessary for the Aharonov-Bohm effect in mesoscopics?. *Physical Review Letters* **80**, 2417-2420 (1998).

*Valentim, A.R.S., B. Engels, S.D. Peyerimhoff, A. Tellenbach, S. Strojek and M. Jansen:* Study of the geometrical structure and the vibrational spectra of  $P_4O_8$ ,  $P_4O_6S_2$ , and  $P_4O_6Se_2$ . *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 642-649 (1998).

*Van den Brink, J., O. Gunnarsson and V. Eyert:* Optical conductivity in  $A_3C_{60}$  ( $A=K,Rb$ ). *Physical Review* **B57**, 2163-2167 (1998).

*Van den Brink, J. and G.A. Sawatzky:* Non conventional screening of the Coulomb interaction in  $C_{60}$  and in carbon nanotubes. In: *Electronic Properties of Novel Materials. XII International Winterschool*, (Eds.) H. Kuzmany et al. AIP Conference Proceedings 442. American Institute of Physics, New York 1998, 152-155.

*Van den Brink, J. and O.P. Sushkov:* Single-hole Green's functions in insulating copper oxides at nonzero temperature. *Physical Review* **B57**, 3518-3524 (1998).

*Van Dam, P.J., J.P. Willems, P.P. Schmidt, S. Pötsch, A.L. Barra, W.R. Hagen, B.M. Hoffman, K.K. Andersson and A. Gräslund:* High-frequency EPR and pulsed Q-band ENDOR studies on the origin of the hydrogen bond in tyrosyl radicals of ribonucleotide reductase R2 proteins from mouse and herpes simplex virus type 1. *Journal of the American Chemical Society* **120**, 5080-5082 (1998).

*Vargas, P., D. Altbir, J. d'Albuquerque e Castro and U. Raff:* Magnetoresistance in granular metallic systems. *Journal of Physics: Condensed Matter* **9**, 9931-9938 (1997).

*Vasilyev, Yu.B., S.D. Suchalkin, K. von Klitzing, B.Ya. Meltser, S.V. Ivanov and P.S. Kop'ev:* High magnetic field far-infrared spectroscopy of spatially separated electron-hole layers. *Physica* **B256-258**, 445-448 (1998).

*Vina, L., M. Potemski and W.I. Wang:* Signatures of quantum chaos in the magneto-excitonic spectrum of quantum wells. *Physics / Uspekhi* **41**, 153-156 (1998).

*Vogt, H.:* Permanent dipole moment and first-order hyperpolarizability of Li-induced polarization clusters in  $K_{1-x}Li_xTaO_3$  determined by hyper-Raman spectroscopy. *Physical Review* **B58**, 9916-9925 (1998).

*Volkov, O.V., I.V. Kukushkin, K. von Klitzing and K.Eberl:* Free and localized positively charged excitons in the emission spectrum of GaAs/AlGaAs quantum wells. *JETP Letters* **67**, 236-242 (1998).

*Weber, J.:* Electrical properties of transition metal hydrogencomplexes in silicon. *Material Research Society Symposia Proceedings* **513**, 345-356 (1998).

*Weber, J. and S.K. Estreicher:* Noble gas induced defects in silicon. *Materials Research Society Symposia Proceedings* **510**, 531-542 (1998).

*Weber, J., A.W.R. Leitch and V. Alex:* Hydrogen molecules in crystalline silicon. *Proceedings of the Electrochemical Society* **98-1**, 973-983 (1998).

*Wei, Y.Y., J. Weis, K. von Klitzing and K. Eberl:* Single-electron transistor as an electrometer on a two-dimensional electron system. *Physica* **B249-251**, 496-499 (1998).

- Single-electron transistor as an electrometer measuring chemical potential variations. *Applied Physics Letters* **71**, 2514-2516 (1997).

- Study of the chemical potential of a two-dimensional electron systems using a single-electron transistor. *Physica* **E1**, 135-137 (1997).

Weidenbruch, M., A. Stilter, H. Marsmann, K. Peters and H.G. von Schnering: A zwitterionic distannene and two  $(RSnX)_4$  cages with an unusual arrangement of the  $Sn_4X_4$  cluster atoms ( $R = tBu_3Si$ ,  $X = Se, Te$ ). *European Journal of Inorganic Chemistry* **1998**, 1333-1336 (1998).

Weidenbruch, M., P. Will, H. Marsmann, K. Peters and H.G. von Schnering: Partial degradation of a  $CF_3$  group by silylene attack. *Zeitschrift für Anorganische und Allgemeine Chemie* **624**, 15-16 (1998).

Weirich, Th.E., S. Hovmöller, H. Kalpen, R. Ramlau and A. Simon: Electron diffraction versus X-ray diffraction - a comparative study of the  $Ta_2P$  structure. *Crystallography Reports* **43**, 956-967 (1998).

Weirich, T., R. Ramlau, A. Simon and S. Hovmöller: Exact atom positions by electron microscopy? A quantitative comparison to x-ray crystallography. In: *Electron Crystallography*, (Eds.) D.L. Dorset et al. Kluwer, Dordrecht 1997, 423-426.

Weis, J. Y.Y. Wei and K. von Klitzing: Probing the depletion region of a two-dimensional electron system in high magnetic fields. *Physica* **B256-258**, 1-7 (1998).

Wethkamp, T., K. Wilmers, N. Esser, W. Richter, O. Ambacher, H. Angerer, G. Jungk, R.L. Johnson and M. Cardona: Spectroscopic ellipsometry of  $Al_xGa_{1-x}N$  in the energy range 3-25 eV. *Thin Solid Films* **313-314**, 745-750 (1998).

Wiegers, S.A.J., M. Specht, E.D. Bibow, L.P. Lévy, S. Melinte, E. Grivei, V. Bayot, M.Y. Simmons, D.A. Ritchie, M. Chayegan, A. Cavanna, B. Etienne, G. Martinez and P. Wyder: Magnetization of an imcompressible two-dimensional electron gas. *Physica* **B256-258**, 16-28 (1998).

Wiegers, S.A.J., M. Specht, L.P. Levy, M.Y. Simmons, D.A. Ritchie, A. Cavanna, B. Etienne, G. Martinez and P. Wyder: Magnetization and incompressibility of a high mobility 2D electron gas in the IQHE. *Physica* **B249-251**, 115-118 (1998).

- Magnetization and energy gaps of a high-mobility 2D electron gas in the quantum limit. *Physical Review Letters* **79**, 3238-3241 (1997).

Wiegers, S.A.J., A. van Steenbergen, M. Jeuken, M. Bravin, P. Wolf, G. Remenyi, J. Perenboom and J. Maan: A sensitive and versatile torque magnetometer for use in high magnetic fields. *Review of Scientific Instruments* **69**, 2369-2374 (1998).

Wolf, M., R. Brendel, J. Werner and H. Queisser: Solar cell efficiency and carrier multiplication in  $Si_{1-x}Ge_x$  alloys. *Journal of Applied Physics* **83**, 4213-4221 (1998).

Yanson, I., V. Fisun, A. Jansen, L. Wyder, P. Canfield, B. Cho, C. Tomy and D. Paul: Point-contact-spectroscopy evidence of quasi-particle interactions in  $RNi_2B_2C$  ( $R=Ho, Y$ ). *Low Temperature Physics* **23**, 951-964 (1997).

Yarykin, N., J.-U. Sachse, J. Weber and H. Lemke: Electrically active silver-hydrogen complexes in silicon. *Materials Science Forum* **258-263**, 301-306 (1997).

Ye, P.D., D. Weiss, R.R. Gerhardts, K. von Klitzing and S. Tarucha: Huge magnetoresistance oscillations in periodic magnetic fields. *Physica* **B249-251**, 330-333 (1998).

Zach, R., M. Guillot and J. Tobola: Semiquantitative analysis of magnetic phase transitions in  $MnFeP_{1-x}As_x$  series of compounds. *Journal of Applied Physics* **83**, 7237-7239 (1998).

*Zegenhagen, J., T. Haage and Q.D. Jiang:* Microscopic structure and structuring of perovskite surfaces and interfaces:  $\text{SrTiO}_3$ ,  $\text{Rb}_2\text{Cu}_3\text{O}_{7-\delta}$ . Applied Physics **A67**, 711-722 (1998).

*Zegenhagen, J. und G. Scherb:* Halbleiteroberflächen im Elektrolyten. Physikalische Blätter **54**, 931-934 (1998).

*Zeman, J., G. Martinez, S.H. Kwok, P.Y. Yu and K. Uchida:* Electron confinement in (ordered)  $\text{GaInP}_2/\text{GaAs}$ / (ordered) $\text{GaInP}_2$  single quantum well. Physica **B249-251**, 735-739 (1998).

*Zeyher, R. and A. Greco:* Effective interactions and superconductivity in the t-J model in the large-N limit. The European Physical Journal **B6**, 473-485 (1998).

*Zhang, J., M. Cardona, Z. Peng and Y. Horikoshi:* Raman scattering studies on Si-doped GaAs grown by hydrogen-assisted molecular beam epitaxy. Applied Physics Letters **71**, 1813-1815 (1997).

*Zhang, J., M. Giehler, A. Göbel, T. Ruf, M. Cardona, E. Haller and K. Itoh:* Optical phonons in isotopic Ge studied by Raman scattering. Physical Review **B57**, 1348-1351 (1998).

*Zhang, J., T. Ruf, M. Cardona, O. Ambacher, M. Stutzmann, J.-M. Wagner and F. Bechstedt:* Raman spectra of isotopic GaN. Physical Review **B56**, 14399-14406 (1997).

*Zhang, J., T. Ruf, R. Lauck and M. Cardona:* Isotope effects on exciton energies in CdS. Physical Review **B57**, 9716-9722 (1998).

*Zheng, Y.-Q., Yu. Grin, K. Peters and H.G. von Schnering:* Two modifications of copper(I) octahedro-hexatungsten(II) tetradecabromide,  $\text{Cu}_2[\text{W}_6\text{Br}_{14}]$ . Zeitschrift für Anorganische und Allgemeine Chemie **624**, 959-964 (1998).

*Zheng, Y.-Q., Yu. Grin and H.G. von Schnering:* Crystal structure of molybdenum(II) bromide,  $\text{Mo}_6\text{Br}_{12}$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 469-470 (1998).

*Zheng, Y.Q., J. Nuss and H.G. von Schnering:* Crystal structure of dithallium hexachlorotungstate(IV),  $\text{Tl}_2[\text{WC}_{16}]$ . Zeitschrift für Kristallographie - New Crystal Structures **213**, 472 (1998).

*Zheng, Y.Q., K. Peters, Y. Grin and H.G. von Schnering:* Syntheses and crystal structures of the cluster compounds  $\text{A}_2[(\text{W}_6\text{Br}_{8i})\text{Br}_{6a}]$  with  $\text{A} = \text{K}, \text{Rb}, \text{Cs}$ . Zeitschrift für Anorganische Allgemeine Chemie **624**, 506-512 (1998).

*Zheng, Y.Q., K. Peters and H.G. von Schnering:* The mixed valence tungsten(IV,V) compound  $\text{Na}[\text{W}_2\text{O}_2\text{Br}_6]$ . Zeitschrift für Anorganische und Allgemeine Chemie **624**, 1415-1418 (1998).

*Zhou, T., U. Schwarz, M. Hanfland, Z. Liu, K. Syassen and M. Cardona:* Effect of pressure on the crystal structure, vibrational modes, and electronic excitations of  $\text{HgO}$ . Physical Review **B57**, 153-160 (1998).

*Zoche, N., R. Sievers and M. Jansen:*  $\text{K}_4\text{Bi}_2\text{O}_5$ , a novel ternary oxobismuthate(III). Journal of Solid State Chemistry **139**, 342-346 (1998).

*Zundel, M., A. Specht, K. Eberl, N. Jin-Phillip and F. Phillip:* Structural and optical properties of vertically aligned InP quantum dots. Applied Physics Letters **71**, 2972-2974 (1997).

*Zwerschke, S.D.M. and R.R. Gerhardts:* Magnetoresistance of a two-dimensional electron gas in a one-dimensional superlattice defined by strong modulation fields. Physica **B256-258**, 28-35 (1998).